



Team identifies 169 genes associated with production of melanin in the skin, hair and eyes

August 11 2023, by Bob Yirka


Correlation between melanin content and light scattering




Genome-wide CRISPR screen uncovers melanin-promoting genes



Higher expression of novel melanin genes in dark skin




Skin color heritability enrichment at identified loci



KLF6 loss leads to hypopigmentation



COMMD3 modulates melanosome pH and TYR activity



Genetic screen finds previously unidentified loci for human melanogenesis. By exploiting melanin's light-scattering properties, we conducted a genome-wide screen and uncovered genes regulating melanin content and hence, melanogenesis, in human cells. These melanin-promoting genes are expressed at higher levels in darkly pigmented melanocytes and show association with pigmentation in human populations. KLF6 deletion reduces melanogenesis and pigmentation in vivo, whereas COMMD3 exerts melanogenic effect by modulating melanosomal pH and tyrosinase (TYR) activity. Credit: *Science* (2023). DOI: 10.1126/science.ade6289

A team of geneticists and systems biologists at Stanford University has associated 169 genes that with the production of melanin in the skin, hair and eyes. In their study, reported in the journal *Science*, the group conducted a flow cytometry analysis and genome-wide CRISPR screen of cell samples.

Prior research has shown that the production and distribution of melanin in the body is responsible for [skin tone](#), [hair color](#) and eye pigmentation. Such characteristics are important for more than appearance's sake; skin with more melanin, for example, is better able to protect against [ultraviolet radiation](#). In this new effort, the researchers noted that while many of the genes responsible for melanin production have been identified, many more have not.

The researchers began with an effort to differentiate high and low melanin melanocytes—the cells that make melanin. They used the light-reflecting properties of melanin to sort cells in a lab dish by aiming a fluorescent lamp at them. Once they had the cells sorted, they edited them using CRISPR-Cas9. Genes were systematically mutated to switch them off and then tested to see how well the cell continued to produce melanin.

The team found 169 genes that played a role in melanin production, of which 135 had not been previously identified. Next, they tested their results with [human tissue](#) recovered from donated infant foreskins. They found that almost 70% of the genes they had isolated were more active in infants with dark skin tones than in those with lighter skin tones.

The researchers note that not all the genes they isolated appear to be directly related to melanin production—some are involved in diverse biological functions. They further note that they were able to divide the gene group into two main types: those that assist in regulating genes and those that help with trafficking endosomes (transport packets). They also found that at least one of the [genes](#) they identified plays a role in the maturation of melanosomes and another is involved in regulating pH levels.

More information: Vivek K. Bajpai et al, A genome-wide genetic screen uncovers determinants of human pigmentation, *Science* (2023). [DOI: 10.1126/science.ade6289](https://doi.org/10.1126/science.ade6289)

© 2023 Science X Network

Citation: Team identifies 169 genes associated with production of melanin in the skin, hair and eyes (2023, August 11) retrieved 27 April 2024 from <https://medicalxpress.com/news/2023-08-team-genes-production-melanin-skin.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--