


Studies show city living raises the risk of respiratory infections in babies and young children

September 11 2023







Credit: CC0 Public Domain

Young children growing up in towns and cities suffer from more respiratory infections than those who grow up in the countryside, according to research presented at the European Respiratory Society International <u>Congress</u> in Milan, Italy.

A second study, presented at the Congress and published in *Pediatric Pulmonology*, shows that factors such as attending day care, living in a damp home or near dense traffic increase the risk of chest infections in <u>young children</u>, while breastfeeding reduces the risk.

Researchers say that some <u>children</u>, who are otherwise healthy, can suffer with repeated infections, so it is important to understand why this is and look for ways to help.

The first study was presented by Dr. Nicklas Brustad, a researcher and physician on the Copenhagen Prospective Studies on Asthma in Childhood (COPSAC) based at Gentofte Hospital and the University of Copenhagen, Denmark. It included 663 children and their mothers who took part in the research from pregnancy until the children were three years old.

Researchers recorded whether the children were growing up in urban or <u>rural areas</u> and how many respiratory infections they developed. This revealed that children living in urban areas had an average of 17 respiratory infections, such as coughs and colds, before the age of three compared to an average of 15 infections in children living in rural areas.



The researchers also carried out detailed blood tests on the mothers during pregnancy and on their new-born babies, and analyzed the children's immune systems when they were four weeks old. They found that children living in <u>urban areas</u> had differences in their immune systems compared to those living in rural areas. There were also differences in the <u>blood samples</u> from the mothers and babies that correlated with the difference in living environment and number of respiratory infections.

Dr. Brustad said, "Our findings suggest that urban living is an <u>independent risk factor</u> for developing infections in <u>early life</u> when taking account of several related factors such as exposure to air pollution and starting day care. Interestingly, changes in the blood of pregnant mothers and newborn babies, as well as changes in the new-born immune system, seem to partly explain this relationship.

"Our results suggest that the environment children live in can have an effect on their developing immune system before they are exposed to coughs and colds. We continue to investigate why some otherwise healthy children are more prone to infections than others and what the implications are for later health. We have several other studies planned that will look for <u>risk factors</u> and try to explain the underlying mechanisms using our large amount of data."

The second study was presented by Dr. Tom Ruffles from Brighton and Sussex Medical School and University Hospitals Sussex NHS Foundation Trust, Brighton, UK. It included data on 1,344 mothers and their children living in Scotland and England. The mothers completed detailed questionnaires when their children were a year old and again when their children where two years old. These included questions on chest infections, symptoms such as coughing and wheezing, respiratory medication, and exposure to potential environmental risk factors.



Analysis of the questionnaires revealed that breastfeeding for longer than six months helped protect babies and children from infections, while attending day care increased the risk. Young children living in homes with visible damp were twice as likely to need treatment with an inhaler to relieve respiratory symptoms and twice as likely to need treatment with a steroid inhaler. Living in an area with dense traffic increased the risk of chest infections, and exposure to tobacco smoke increased the risk of coughing and wheezing.

Dr. Ruffles said, "This research provides some important evidence about how we can help reduce chest infections in babies and toddlers. The benefits of breastfeeding are well-established, and we should continue to support mothers who want to breastfeed their babies. We should also be making every effort to reduce exposure to infections in day care, keep homes free of damp and mold, reduce tobacco smoking and cut air pollution."

Co-researcher Professor Somnath Mukhopadhyay, also from Brighton and Sussex Medical School and University Hospitals Sussex NHS Foundation Trust, added, "The link between damp moldy housing and the need for these very young children to take asthma treatments emphasizes how urgently we need legislation to tackle mold and damp in social housing. For example, here in the UK we want to see rapid implementation of Awaab's Law, which will force social landlords to fix damp and mold within strict time limits."

Awaab's Law was proposed following the death of two-year-old Awaab Ishak, caused by the damp and mold in his local-authority home.

Professor Myrofora Goutaki, who is chair of the European Respiratory Society's group on Pediatric respiratory epidemiology and was not involved in the research, says, "We know that some young children suffer with recurrent coughs and colds, and this can lead on to conditions



such as asthma as they grow older. It's important that we understand any factors that might be contributing to this, such as the conditions where children live and where they are cared for. The more we understand about these factors, the more we can do to protect the developing lungs of these young children."

More information: Abstract no: PA2721, "An urbanized metabolic and airway immune profile increases the risk of infections in early childhood", by Nick Brustad et al; Presented in session, "Paediatric viral and bacterial lung infections" at 12:30-14:00 CEST on Monday 11 September 2023. [k4.ersnet.org/prod/v2/Front/Pr ...??e=379&session=16460]

Ruffles, Thomas et al, (2023). Environmental risk factors for respiratory infection and wheeze in young children: a multi-centre birth cohort study. University of Sussex. Journal contribution. hdl.handle.net/10779/uos.24050973.v1

Provided by European Respiratory Society

Citation: Studies show city living raises the risk of respiratory infections in babies and young children (2023, September 11) retrieved 9 May 2024 from <u>https://medicalxpress.com/news/2023-09-city-respiratory-infections-babies-young.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.