

Flu vaccine uptake varies by sociodemographic factors in chronic kidney disease patients

October 1 2023, by Lori Solomon



Among patients with chronic kidney disease (CKD), younger adults, Black individuals, and those with adverse social determinants of health are less likely to receive a flu vaccine, according to a study published online Sept. 15 in the *American Journal of Kidney Diseases*.

Junichi Ishigami, M.D., from the Johns Hopkins Bloomberg School of Public Health in Baltimore, and colleagues identified [risk factors](#) for not receiving an [influenza vaccine](#) ("nonvaccination") among people with CKD. The analysis included 3,692 participants in the Chronic Renal Insufficiency Cohort Study.

The researchers found that between 2009 and 2020, the pooled mean vaccine uptake was 72 percent. Factors significantly associated with influenza nonvaccination were younger age (adjusted prevalence ratio [aPR], 2.16 for

Citation: Flu vaccine uptake varies by sociodemographic factors in chronic kidney disease patients (2023, October 1) retrieved 20 May 2024 from <https://medicalxpress.com/news/2023-09-flu-vaccine-uptake-varies-sociodemographic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--