

India's Nipah virus outbreak: what do we know so far?

September 15 2023



Credit: Pixabay/CC0 Public Domain

Authorities in India are scrambling to contain a rare outbreak of Nipah, a virus spread from animals to humans that causes deadly fever with a high mortality rate.

Here is a look at what we know so far:

What is the Nipah virus?

The first Nipah [outbreak](#) was recorded in 1998 after the [virus](#) spread among pig farmers in Malaysia.

The virus is named after the village where it was discovered.

Outbreaks are rare but Nipah has been listed by the World Health Organization (WHO)—alongside Ebola, Zika and COVID-19—as one of several diseases deserving of priority research for their potential to cause a global epidemic.

Nipah usually spreads to humans from animals or through contaminated food, but it can also be transmitted directly between people.

Fruit bats are the natural carriers of the virus and have been identified as the most likely cause of subsequent outbreaks.

Symptoms include intense fever, vomiting and a respiratory infection, but severe cases can involve seizures and brain inflammation that results in a coma.

There is no vaccine for Nipah.

Patients have a mortality rate of between 40 and 75 percent depending on the public health response to the virus, the WHO says.

What has happened during previous outbreaks?

The first Nipah outbreak killed more than 100 people in Malaysia and

prompted the culling of one million pigs in an effort to contain the virus.

It also spread to Singapore, with 11 cases and one death among slaughterhouse workers who came into contact with pigs imported from Malaysia.

Since then, the [disease](#) has mainly been recorded in Bangladesh and India, with both countries reporting their first outbreaks in 2001.

Bangladesh has borne the brunt in recent years, with more than 100 people dying of Nipah since 2001.

Two early outbreaks in India killed more than 50 people before they were brought under control.

The southern state of Kerala has recorded two deaths from Nipah and four other confirmed cases since last month.

Authorities there have closed some schools and instituted mass testing.

This marks Kerala's fourth recorded spate of Nipah cases in five years. The virus killed 17 people during the first instance in 2018.

The state has managed to stamp out previous outbreaks within a matter of weeks through widespread testing and strict isolation of those in contact with patients.

Are animal-to-human viruses becoming more frequent?

Having first appeared thousands of years ago, zoonoses—diseases that can be transmitted from animals to humans—have multiplied over the

past 20 to 30 years.

The growth of international travel has allowed them to spread more quickly.

By occupying increasingly large areas of the planet, experts say, humans also contribute to disruption of the ecosystem and increase the likelihood of random virus mutations that are transmissible to humans.

Industrial farming increases the risk of pathogens spreading between animals while deforestation heightens contact between wildlife, [domestic animals](#) and humans.

By mixing more, species will transmit their viruses more, which will promote the emergence of new diseases potentially transmissible to humans.

Climate change will push many [animals](#) to flee their ecosystems for more livable lands, a study published by the scientific journal Nature warned in 2022.

According to estimates published in the journal *Science* in 2018, there are 1.7 million unknown viruses in mammals and birds, 540,000-850,000 of them with the capacity to infect humans.

© 2023 AFP

Citation: India's Nipah virus outbreak: what do we know so far? (2023, September 15) retrieved 28 April 2024 from <https://medicalxpress.com/news/2023-09-india-nipah-virus-outbreak.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.