

The role of the locus coeruleus, a 'blue spot' linked to sleep

September 23 2023



Credit: Human Brain Project

Researchers at the University of Liège (BE) Institute are using ultra-high field 7 Tesla MRI to provide a better understanding of how sleep is regulated.

We've known for a long time that <u>sleep</u> is good for the <u>brain</u>. We also



know that light is not just for seeing, but also plays an important role in other aspects such as mood. What we don't know is how all this happens in our brains.

A scientific team from the ULiège Cyclotron Research Centre /In Vivo Imaging (GIGA-CRC-IVI) has just demonstrated that the quality of our REM sleep (the part of sleep during which we dream the most) is linked to the activity of the locus coeruleus. This small brain nucleus, the size of a 2cm-long spaghetti, is located at the base of the brain (in the brainstem).

The locus coeruleus—Latin for "blue spot"—owes its name to its color when observed in autopsy. It projects to just about every area of the brain (and to the <u>spinal cord</u>) to secrete a neuromodulator called noradrenaline.

Noradrenaline is not only important for stimulating neurons and keeping them awake, but also for a whole series of cognitive processes such as memory, emotional processing, stress and anxiety. Its stimulating activity must diminish to initiate sleep and stop to allow REM sleep. "This allows REM sleep to work without noradrenaline, sorting out the synapses that need to be retained or eliminated during sleep and enabling a new day, full of new experiences," explains Gilles Vandewalle, co-director of the GIGA CRC-IVI.

Animal research has already shown that the functioning of this small nucleus is essential for sleep and wakefulness. "In humans, little has been verified because the small size of the nucleus and its deep position make it difficult to observe it in vivo with conventional MRI," explains Ekaterina Koshmanova, a researcher in the laboratory and first author of the article published in *JCI Insight*.

"Thanks to the higher resolution of 7 Tesla MRI, we were able to isolate



the nucleus and extract its activity during a simple cognitive task during wakefulness, and thus show that the more reactive our locus coeruleus is during the day, the poorer the perceived quality of our sleep and the less intense our REM sleep."

This seems to be particularly true with advancing age, as this effect was only detected in the individuals aged between 50 and 70 included in the study and not in young adults aged between 18 and 30. This finding could explain why some people become progressively insomniac with age. These initial results also lay the foundations for future studies on the activity of this small <u>nucleus</u> during sleep and the role it could play in insomnia and in the link between sleep and Alzheimer's disease.

More information: Ekaterina Koshmanova et al, Locus coeruleus activity while awake is associated with REM sleep quality in older individuals, *JCI Insight* (2023). DOI: 10.1172/jci.insight.172008

Provided by University de Liege

Citation: The role of the locus coeruleus, a 'blue spot' linked to sleep (2023, September 23) retrieved 17 May 2024 from <u>https://medicalxpress.com/news/2023-09-role-locus-coeruleus-blue-linked.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.