

Fathers' parental leave might protect men against alcohol-related morbidity

October 6 2023



Credit: Pixabay/CC0 Public Domain

Men who have been on parental leave have a significantly reduced risk of being hospitalized due to alcohol consumption. This is shown by a study published in *Addiction* from researchers at the Department of

Public Health Sciences, Stockholm University.

The aim of the study was to assess whether fathers' parental leave influences alcohol-related morbidity and mortality. In order to try to find out if that is the case, the researchers have investigated the effects of parental leave policy that was implemented in Sweden in 1995. The policy encouraged fathers to use parental leave by reserving 30 days of leave for their use alone and resulted in the proportion of fathers using parental leave increasing from 43% to 75%.

"Our findings were pretty remarkable considering the severity of the studied outcome. Although alcohol-related hospitalizations were rather uncommon, we found that after the policy was implemented there was a 34% decrease in these hospitalizations among fathers in the two years after birth, as well as smaller decreases up to eight and 18 years after birth," says Helena Honkaniemi, researcher at the Department of Public Health Sciences, Stockholm University.

"Most changes were found among hospitalizations for [alcohol intoxication](#) and alcohol-related mental and behavioral disorders. Additional analyses evaluating actual changes in parental leave use from before to after the policy suggest that these [health consequences](#) could be explained by the increase in fathers' parental leave use, rather than other underlying trends," says Helena Honkaniemi.

However, no changes were found for alcohol-related mortality.

Co-author Associate Professor Sol Juárez believes that the results of the study could be useful for policymakers.

"Policymakers should consider that fathers' [parental leave](#) not only promotes more gender-equal participation in childcare, but can also reduce alcohol-related harms," Juárez says.

The study draws on Swedish register data of all [fathers](#) of singleton children born from January 1992 to December 1997, three years before and after the [policy](#) was implemented.

More information: Helena Honkaniemi et al, Alcohol-related morbidity and mortality by fathers' parental leave: A quasi-experimental study in Sweden, *Addiction* (2023). [DOI: 10.1111/add.16354](https://doi.org/10.1111/add.16354).
onlinelibrary.wiley.com/doi/full/10.1111/add.16354

Provided by Stockholm University

Citation: Fathers' parental leave might protect men against alcohol-related morbidity (2023, October 6) retrieved 11 May 2024 from <https://medicalxpress.com/news/2023-10-fathers-parental-men-alcohol-related-morbidity.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--