

## New model leverages stem cells to provide window into Alzheimer's disease development



Characterization of the iPSC-derived human grafts (HG) in the mouse brain a Schematic representation of the experimental workflow. b and c Immunostaining for human cytoplasmic marker STEM121 and nuclear marker DAPI in control and AD grafts six months after transplantation into mouse hippocampus. Scale bars: 1 mm (b) and 2 mm (c). ADHG: AD human graft; CHG: Control human graft. d Quantification of human Nuclei marker-positive cells expressed relative to the total number of DAPI-labeled cells and Ki-67-positive cells expressed relative to the total number of human Nuclei marker-positive cells in control and

October 18 2023



AD iPSC-derived human grafts. Results are presented as mean  $\pm$  S.E.M. N = 4 animals. Statistical analysis by two-tailed t-test. e Immunostaining for human Nuclei marker and neuronal markers MAP2, TBR1, and hippocampal markers ZBTB20 and PROX1 in control and AD iPSC-derived human grafts. Scale bars: 200 µm. f Quantification of DCX-, MAP2-, TBR1-, ZBTB20-, PROX1-, GFAP- and STEM123-positive cells in control and AD iPSC-derived human grafts. Results are presented as mean  $\pm$  S.E.M. N = 4 animals. P value: \* p

Citation: New model leverages stem cells to provide window into Alzheimer's disease development (2023, October 18) retrieved 11 May 2024 from https://medicalxpress.com/news/2023-10-leverages-stem-cells-window-alzheimer.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.