

Renting rather than owning a private sector home linked to faster 'biological aging'

October 10 2023



Credit: Unsplash/CC0 Public Domain

Renting a private sector home, falling repeatedly into arrears, and exposure to pollution in the vicinity are linked to faster biological aging—the cumulative damage to the body's tissues and cells,

irrespective of actual age—indicates research published online in the *Journal of Epidemiology & Community Health*.

The biological impact of renting, as opposed to owner occupancy, is nearly double that of being out of work vs. having paid employment, the findings suggest.

Fortunately, these effects are reversible, emphasizing the importance of housing policy in [health improvement](#), say the researchers.

Numerous aspects of housing are associated with physical and [mental health](#), including cold, mold, crowding, injury hazards, stress, and stigma. But exactly how they might exert their effects isn't entirely clear, say the researchers.

To explore this further, they drew on [epigenetic information](#) alongside social survey data and signs of biological aging, captured through evidence of DNA methylation in [blood samples](#).

Epigenetics describes how behaviors and [environmental factors](#) can cause changes that alter the way genes work, while DNA methylation is a chemical modification of DNA that can alter gene expression.

They used data from the representative UK Household Longitudinal Study (UKHLS, usually referred to as Understanding Society) and survey responses from the British Household Panel Survey (BHPS), which also became part of Understanding Society.

They mined the information available in the UKHLS on material elements of housing: tenure; building type; government [financial support](#) available to renters; presence of central heating as a proxy for adequate warmth; location in an urban or rural area. Psychosocial elements were also included: [housing costs](#); payment arrears; overcrowding; and moving

expectations and preferences.

Additional health information was subsequently collected from the 1,420 BHPS survey respondents, and blood samples taken for DNA methylation analysis. Information on historical housing circumstances was gleaned by pooling the responses from the past 10 years of the BHPS survey for each respondent.

When analyzing all the data, the researchers accounted for potentially influential factors: sex, nationality; [education level](#); socioeconomic status; diet; cumulative stress; financial hardship; urban environments; weight (BMI); and smoking. Because the pace of biological aging quickens in tandem with chronological aging, this was also factored in.

The analysis showed that living in a privately rented home was associated with faster biological aging. What's more, the impact of renting in the [private sector](#), as opposed to outright ownership (with no mortgage), was almost double that of being out of work rather than being employed. It was also 50% greater than having been a former smoker as opposed to never having smoked.

When historical housing circumstances were added to the mix, repeated housing arrears, and exposure to pollution/environmental problems were also associated with faster biological aging.

Living in [social housing](#), however, with its lower cost and greater security of tenure, was no different than outright ownership in terms of its association with biological aging once additional housing variables were included.

This is an observational study, and as such, cannot establish cause. And the researchers acknowledge several limitations to their findings. For example, there were no contemporary measures of housing quality, and

the DNA methylation data came only from white European respondents.

But they conclude, "Our results suggest that challenging housing circumstances negatively affect health through faster biological aging. However, biological aging is reversible, highlighting the significant potential for housing policy changes to improve health."

And they suggest that their findings are likely to be relevant to housing and health elsewhere, particularly to countries with similar housing policies.

"What it means to be a private renter is not set in stone but dependent on policy decisions, which to date have prioritized owners and investors over renters," they add.

"Policies to reduce the stress and uncertainty associated with private renting, such as ending 'no-fault' (Section 21) evictions, limiting rent increases, and improving conditions (some of which have happened in parts of the U.K. since these data were collected) may go some way to reducing the negative impacts of private renting."

More information: Are housing circumstances associated with faster epigenetic ageing?, *Journal of Epidemiology* (2023). [DOI: 10.1136/jech-2023-220523](https://doi.org/10.1136/jech-2023-220523)

Provided by British Medical Journal

Citation: Renting rather than owning a private sector home linked to faster 'biological aging' (2023, October 10) retrieved 27 April 2024 from <https://medicalxpress.com/news/2023-10-renting-private-sector-home-linked.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.