

Tick-borne diseases: Racing to defuse a 'ticking' public health time bomb

October 18 2023, by Bill Hathaway



Credit: Michael S. Helfenbein

The explosive rise in tick-borne diseases in many parts of the United States over the last five decades represents a major public health threat that demands innovative solutions, warns a group of Yale scientists. In a new review article, they outline why the stakes are so high and describe some potential solutions.



Possible solutions include a new class of vaccines for humans, including vaccines being developed at Yale, and even for the animals that carry the <u>ticks</u>.

The article is published Oct. 18 in the journal *Science Translational Medicine*.

The research team was led by Sukanya Narasimhan, associate professor in Yale's Department of Internal Medicine (Infectious Diseases) and Erol Fikrig, Waldemar Von Zedtwitz Professor of Medicine (Infectious Diseases) and professor of epidemiology (<u>microbial diseases</u>) and of microbial pathogenesis.

The <u>public health threat</u>, they say, is escalating rapidly. It wasn't until 1982 that the threat of tick-borne diseases was recognized after a bacterium transmitted by ticks caused an outbreak of arthritis-like symptoms in children in Lyme, Connecticut. And even then, known cases of the disease were extremely rare.

Today an estimated 490,000 people in the United States are infected annually by tick-borne diseases such as Lyme disease, an increase that researchers say has been fueled by the return of formerly depleted forests and a dramatic increase in populations of tick-hosting <u>white-tailed deer</u>.

The threat has also spread from isolated areas near the New England coastline into the U.S. Midwest and other parts of the country since the cause of Lyme disease was identified four decades ago. A single tick species—Ixodes scapularis, commonly called the black-legged or deer tick—accounts for 97% of tick-borne diseases in the United States.

To date, most efforts to combat tick-borne diseases have concentrated on developing vaccines that target Borrelia burgdorferi, the bacterium



that causes Lyme disease. These efforts, however, have had limited success and do nothing to combat other pathogens that can be transmitted by ticks, the researchers say.

For example, deer ticks can also transmit six other human pathogens, including the Powassan virus—named for a town where it was first identified in a young boy who eventually died from it—which kills 10% of infected people and causes permanent neurologic damage in half of the cases. While still rare, Powassan cases have increased forty-fold in the last two decades.

In response to this rapid rise of a host of tick-borne diseases, Fikrig's lab at Yale is developing vaccines that combat a variety of infections by thwarting the ability of ticks to feed and even alert human hosts when they have been bitten by a tick.

"If we can keep ticks from feeding, we can control Lyme and other diseases as well," said Narasimhan, first author of the new report.

Previous research has shown that multiple exposures to tick bites can increase resistance to tick-borne infections. At Yale, Fikrig's lab capitalized on this insight. In a previous study, the lab showed that a vaccine containing a cocktail of tick salivary proteins can impair tick feeding and even increase the chances that a person will recognize that they've been bitten, which can in turn prompt rapid tick removal and a reduced likelihood of infection.

Durland Fish, professor emeritus of epidemiology (microbial diseases) at Yale School of Public Health and a co-author of the article, argues that such a vaccine could also be delivered orally within bait that would be consumed by deer. Ideally, he said, ticks would then be unable to feed upon the blood of that deer, which in turn would reduce tick populations and the risk of disease for humans.



"Deer are the keystone host for deer ticks," he said. "They do not exist in areas where there are no deer. I think this should be the Manhattan Project for <u>tick-borne diseases</u>."

Similar strategies have already been carried out to prevent racoon rabies in the U.S. and fox rabies in Europe, and also to protect cattle against tick-borne disease.

"Toward this goal, we must have a multidisciplinary, One Health approach [an integrated approach that balances the health of humans, animals, and ecosystems] that will harness the vision of molecular biologists, entomologists, ecologists, epidemiologists, physicians, veterinarians and vaccinologists," the authors conclude.

More information: Sukanya Narasimhan et al, A ticking time bomb hidden in plain sight, *Science Translational Medicine* (2023). DOI: 10.1126/scitranslmed.adi7829

Provided by Yale University

Citation: Tick-borne diseases: Racing to defuse a 'ticking' public health time bomb (2023, October 18) retrieved 8 May 2024 from <u>https://medicalxpress.com/news/2023-10-tick-borne-diseases-defuse-health.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.