

# TV shows depicting inaccurate childbirths need safety warnings, say researchers

October 19 2023

---



Credit: Pixabay/CC0 Public Domain

U.K. television programs showing inaccurate birthing practices should require safety recommendations for viewers to avoid misinterpretations by the public.

The study by researchers from King's College London and the University of Liverpool, analyzed 87 births shown in 48 episodes of three U.K. popular fictional and reality TV programs (BBC's *Call The Midwife*, *This Is Going To Hurt* and Channel 4's *One Born Every Minute*), to see how they compare to modern guidelines by the National Institute for Health and Care Excellence (NICE).

The study, published today in *JRSM Open*, found that the TV programs largely showed modern updates to labor care. However, depictions of midwives and doctors clamping the [umbilical cord](#) were shown inaccurately or dramatized as unimportant a third of the time, with no safety information for viewers about what they were being shown.

Researchers explore the problematic nature of this depiction, explaining harmful traditional medical practices that can cause death and brain injuries in [premature babies](#) are being presented as [standard practice](#) in modern TV programs. Without a safety warning to inform viewers otherwise, the [general public](#) and health care professionals will think the clamping practices they see are correct, which could misinform prospective parents and professionals who deal with the newborn baby.

Clamping in childbirth is where the umbilical cord between the mother and child is clamped before being tied and cut. The placenta (afterbirth) can still be in the uterus (womb) and functioning. The procedure should not happen before a one-to-five-minute window after birth as it stops blood circulating between mother and child during the time the baby begins to breathe. If the cord is clamped too soon, then there is a risk of depriving the baby of blood that goes into the lung circulation.

The researchers found that cord clamping was rarely shown on TV and it was given less attention on screen than the baby's first cry or cutting of the cord, increasingly a ritual performed by the father in the modern day. In only 4 of the 25 instances where clamping was depicted, did it happen

after one minute. In 21 instances (84%) clamping appeared to happen immediately or too early, which is not in line with present NICE guidelines. While early clamping was routine in the past, and it is not essential that cord clamping is featured in televised births, when it is shown inaccurately viewers might be convinced they are seeing correct birthing practice.

"Millions of viewers watch programs like *Call the Midwife* every week to be entertained but the line between fact and fiction is blurred. We are impressed that U.K. television shows have accurately depicted some changes in childbirth over the last century, but on the other hand they have also provided the public with a picture of poor-quality care when it comes to clamping during childbirth. These inaccurate depictions could influence how people see real-world care.

"We saw too early [cord clamping](#) in most televised births, but no program informed viewers about the safety aspects. When showing outdated practices, broadcasters have a public health duty to inform viewers that this immediate medical intervention is no longer recommended. No broadcaster would show the sleeping positions associated with cot-death without comment," said Professor Susan Bewley, Professor Emeritus of Obstetrics and Women's Health at King's College London.

Professor Andrew Weeks, a Professor of International Maternal Health at the University of Liverpool, added, "Health professionals know that midwives and doctors should not interrupt the flow of blood to the [newborn baby](#) nor separate the mother and baby without a pressing reason, and yet this is what is being shown on popular television programs as common practice.

"Incorrect depictions like this, however routine, can lead to misinterpretations of correct practice by the public. The language used in

programming of 'delayed' or 'deferred' clamping can make people think it should be done 'early' or 'immediately' when that is not correct. This illustrates the need for safety recommendations when TV dramas show birthing practices and procedures that are outdated and inaccurate."

**More information:** Gati Dawda et al, "It must be right, I saw it on TV!": An observational study of third stage birth practices in popular television programmes, *JRSM Open* (2023). [DOI: 10.1177/20542704231205385](https://doi.org/10.1177/20542704231205385)

Provided by King's College London

Citation: TV shows depicting inaccurate childbirths need safety warnings, say researchers (2023, October 19) retrieved 10 May 2024 from <https://medicalxpress.com/news/2023-10-tv-depicting-inaccurate-childbirths-safety.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--