


Another step toward the HIV-1 vaccine: Dynamics of neutralizing antibodies

November 14 2023



Neutralization screening of a large multinational cohort. **a**, Isolated IgGs of 2,354 HIV-1-infected individuals from a multinational study were tested against

the global panel. The neutralization against each of the 12 viruses received a score between 0 and 3. Scores were later added to build neutralization strata. **b**, Clinical and virological characteristics of individuals from the different countries. Numbers indicate the amount of people for whom the respective characteristic was available. **c**, Neutralization strata of all individuals and of each respective cohort. **d**, Violin plots of the neutralization of participants' IgGs against the global panel pseudoviruses. Individuals were stratified according to the strata as shown in **c**. Black bars indicate median, and gray bars indicate the respective quartiles. **e**, Average neutralization of each cohort against the respective 12 global panel viruses. **f**, Violin plots show the average neutralization against the whole global panel (Germany, $n = 1,294$; Nepal, $n = 422$; Tanzania, $n = 475$ and Cameroon, $n = 163$). Black bars indicate median, and dotted bars indicate the respective quartiles. One-way ANOVA with Tukey's correction for multiple comparisons was used to compare average neutralization between groups. $*P = 0.021$, $***P$

Citation: Another step toward the HIV-1 vaccine: Dynamics of neutralizing antibodies (2023, November 14) retrieved 12 May 2024 from <https://medicalxpress.com/news/2023-11-hiv-vaccine-dynamics-neutralizing-antibodies.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.