


Plastic surgeons ask: What's the ideal male buttock?



Overall survey population preferences for the lateral thigh–to-buttock ratio, oblique projection angle, and GTI. Credit: *Plastic & Reconstructive Surgery* (2023). DOI: 10.1097/PRS.00000000010378

At a time when more men are considering body contouring and gluteal enhancement, an Internet survey provides new information on the "ideal" appearance of the male buttock, reports the December issue of *Plastic and Reconstructive Surgery*.

"Our results demonstrate that there is a preferred male gluteal aesthetic," comments ASPS Member Surgeon Ashit Patel, MB, ChB, of Duke



University, Durham, N.C., lead author of the new study. "The findings suggest that a moderately enhanced, well-proportioned appearance is most desirable."

Crowd-sourced study aims to define 'the aesthetic of the ideal male buttocks'

Buttock enhancement refers to <u>cosmetic procedures</u> performed by <u>plastic surgeons</u> to improve the appearance of the buttocks, including gluteal augmentation (using fat grafting and/or implants) and buttock lifting procedures. These procedures are most often performed in women; previous studies have used survey methods in an attempt to define the "ideal" female buttocks.

Men are increasingly interested in cosmetic surgical procedures, including gluteal enhancement. "But while previous studies have evaluated the features of attractive female buttocks, no one has really studied the aesthetic of the ideal male buttocks," according to Dr. Patel. The researchers performed a survey study to assess perceptions of the most attractive features of the buttocks in men.

The <u>online survey</u> was performed using Amazon's Mechanical Turk crowdsourcing platform. Participants were presented with images of a man's buttocks from three views: from the side, from behind, and from a three-quarters view. In each view, the images were digitally altered to change the proportions of different areas of the buttocks.

For each view, survey participants ranked the images from most to least attractive. They also provided information on demographic characteristics, sexual orientation, and geographic location. The analysis included ratings from 2,095 self-selected members of the general public. About 60% of respondents were men; about one-half were 25 to 34



years of age.

Ratings provide insights into the most attractive proportions

The responses provided information on the most attractive proportions for each of the three views. "In our <u>survey</u>, raters thought the ideal male buttocks shouldn't be flat, but also shouldn't stick out too far," says Dr. Patel. "The buttocks shouldn't be too wide and should retain the characteristic dimple on the sides." The article includes illustrations showing the differing views, including the proportions rated most attractive.

These features contrast with previous studies of the "ideal" female buttocks, in which a rounder and fuller appearance was preferred. The authors note that the differences are an important consideration in gender-affirming surgery in transgender patients.

Ratings showed some variation by respondent characteristics, including race, region of residence, and sexual orientation. The preferred proportions were similar for male and female raters.

"Our study is one of the first to really focus on what makes the male buttocks most attractive," Dr. Patel adds. "We believe the findings will be helpful in discussions with patients considering gluteal enhancement and provide guidance in achieving optimal results and patient satisfaction."

More information: Tejas Kollu et al, Defining the Ideal Male Buttocks, *Plastic & Reconstructive Surgery* (2023). DOI: 10.1097/PRS.00000000010378



Provided by Wolters Kluwer Health

Citation: Plastic surgeons ask: What's the ideal male buttock? (2023, November 30) retrieved 8 May 2024 from <u>https://medicalxpress.com/news/2023-11-plastic-surgeons-ideal-male-buttock.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.