

Psychologist offers advice on soothing children traumatized by war

November 14 2023



Credit: CC0 Public Domain

A Northwestern University pediatric psychologist—who advises Ukrainian charity workers and therapists about working with that country's traumatized children—shares her expertise regarding how to

support children affected by violence in the Middle East. This includes children at home in the U.S. and in the Middle East.

"Adults play a key role in promoting resilience and coping for [children](#) during times of crisis," said Lauren Potthoff, an assistant professor of psychiatry and [behavioral sciences](#) and of pediatrics at Northwestern University Feinberg School of Medicine. She also is a psychologist at Ann & Robert H. Lurie Children's Hospital of Chicago.

But first, adults need to take care of themselves. "It is crucial for parents and caregivers to practice self-care to be best equipped to support children. That can mean limiting time spent watching the news or scrolling on social media. Also, prioritizing sleep, time spent relaxing, exercising, or making time for a favorite activity or hobby.

Potthoff has developed a webinar series for therapists in Ukraine offering strategies and recommendations for supporting children and adolescents experiencing a range of specific mental health problems in response to the war. The webinars can be used in other geographic contexts.

Here are Potthoff's suggestions:

What is the psychological impact of war on children?

"Whether in person, on television or through [social media](#), children and adolescents living through the war in the Middle East are witnessing horrific atrocities on a near-daily basis. These events will likely have a detrimental impact on their mental health. Youth living through the horrors of war are experiencing significant personal losses and disruptions to their daily lives.

"These disruptions not only negatively impact their physical, social and

psychological development; they are also linked to increased rates of anxiety and depression. While children and adolescents experience significant psychological suffering during times of war, it is critical to understand, though, that this suffering does not necessarily end when the conflict does. Youth who live through this type of violence endure lasting mental health problems, such as [post-traumatic stress disorder](#), which can have negative effects lasting into adulthood.

"At home, youth in the U.S. are also struggling. Many are afraid for the well-being of friends and [family members](#) in the affected areas and are also experiencing discrimination, harassment, and in some cases, violence, due to their ethnicity, country of origin or beliefs," Potthoff explains.

What can adults do to help?

- Provide structure and maintain [daily routines](#). "Routines—doing things in familiar patterns—offer predictability, reliability and a sense of security. Regular routines are often disrupted during war. Think flexibly about how you can maintain a similar structure to your day or previous routines that you can restore. Some examples include keeping the same bedtime routine and eating meals together."
- Permit your child to experience a feeling of control and mastery within the home. "Children often experience a loss of control during times of crisis. Some examples to help foster feelings of control and mastery include allowing your child to plan a meal or the evening activities."
- Start (or restart) a ritual or tradition. "A ritual is a special behavior that we repeat throughout our lives. Rituals support the emotions we experience and are like routines in that they help to create a predictable environment. Think about starting a new ritual or doing a ritual that was already established in your family

or community. Examples of rituals could be singing a special song, beginning a mealtime with a saying, gratitude or blessing, or saying the same thing to your child when they wake up each morning or go to bed each night."

- Validate emotions. "Permit children to feel a range of emotions, emphasizing that no emotion is 'wrong' or 'bad.' Instead of saying, 'Don't be scared!' you can say, 'It's okay if you're feeling scared right now.'"
- Encourage [emotional expression](#) and lead by example. Children are often able to pick up on the emotions that the adults around them are experiencing. It is important for adults to model how to manage strong emotions like fear, anger, sadness and grief. Children learn a lot through what they observe their parents do. It helps children to see that the [adults](#) in their lives have similar feelings to them and that they can manage these big feelings by talking about them and sharing them with others."
- Be mindful of the child's age. "For children, emotions can be shared through play, music, art and storytelling. Adolescents may feel more comfortable sharing their emotions through dialogue with a trusted adult. Adults should always be mindful of the developmental stage of a child when discussing [traumatic events](#) (e.g., not oversharing details with small children)."
- Prevention is intervention. "The best treatment can be prevention. Asking children and adolescents what they are hearing about the crisis and how they are feeling about it is important. Engaging in open, honest and developmentally appropriate dialogue assists children in learning about [current events](#) and processing emotional reactions. This shows kids that you are available and willing to support them no matter what they are feeling."

Citation: Psychologist offers advice on soothing children traumatized by war (2023, November 14) retrieved 11 May 2024 from

<https://medicalxpress.com/news/2023-11-psychologist-advice-children-traumatized-war.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.