

'Injectable tissue prosthesis' offers new approach for regenerating damaged muscle/nerve

November 1 2023



This new hydrogel system (IT-IC) can protect the gel from destruction by external forces. In conventional covalently crosslinked hydrogels (e.g., methacrylated hyaluronic acid, referred to as MeHA), fragmentation occurs due to the destruction of covalent bonds during the injection process, but IT-IC hydrogels maintain covalent bonds due to stress dissipation with multiple bonds containing biphenyl structure and allow injection into narrow areas. Credit: Institute for Basic Science



In a study published in the journal *Nature*, researchers from the Institute of Basic Science (IBS) in South Korea have made significant strides in biomaterial technology and rehabilitation medicine. They've developed a novel approach to healing muscle injury by employing "injectable tissue prosthesis" in the form of conductive hydrogels and combining it with a robot-assisted rehabilitation system.

Let's imagine you are swimming in the ocean. A giant shark approaches and bites a huge chunk of meat out of your thigh, resulting in a complete loss of motor/sensor function in your leg. If left untreated, such severe muscle damage would result in permanent loss of function and disability. How on Earth will you be able to recover from this kind of injury?

Traditional rehabilitation methods for these kinds of muscle injuries have long sought an efficient closed-loop gait rehabilitation system that merges lightweight exoskeletons and wearable/implantable devices. Such assistive prosthetic system is required to aid the patients through the process of recovering sensory and motor functions linked to nerve and muscle damage.

Unfortunately, the <u>mechanical properties</u> and rigid nature of existing <u>electronic materials</u> render them incompatible with <u>soft tissues</u>. This leads to friction and potential inflammation, stalling patient rehabilitation.

To overcome these limitations, the IBS researchers turned to a material commonly used as a wrinkle-smoothing filler, called hyaluronic acid. Using this substance, an <u>injectable hydrogel</u> was developed for "tissue prostheses," which can temporarily fill the gap of the missing muscle/nerve tissues while it regenerates. The injectable nature of this material gives it a significant advantage over traditional bioelectronic devices, which are unsuitable for narrow, deep, or small areas, and necessitate invasive surgeries.





Illustrating the sequential progression of muscle damage and regeneration, these three images capture the transition from muscle loss (left) to hydrogel reinforcement (center) and ultimately successful muscle regeneration (right). Credit: Institute for Basic Science

Thanks to its highly "tissue-like" properties, this <u>hydrogel</u> seamlessly interfaces with biological tissues and can be easily administered to hardto-reach body areas without surgery.

The reversible and irreversible crosslinks within the hydrogel adapt to high shear stress during injection, ensuring excellent mechanical stability. This hydrogel also incorporates gold nanoparticles, which gives it decent electrical properties. Its conductive nature allows for the effective transmission of electrophysiological signals between the two ends of injured tissues. In addition, the hydrogel is biodegradable, meaning that the patients do not need to get surgery again.



With mechanical properties akin to natural tissues, exceptional tissue adhesion, and injectable characteristics, researchers believe this material offers a novel approach to rehabilitation.

Next, the researchers put this novel idea to the test in rodent models. To simulate volumetric muscle loss injury, a large chunk of muscle has been removed from the hind legs of these animals.

By injecting the hydrogel and implanting the two kinds of stretchable tissue-interfacing devices for electrical sensing and stimulation, the researchers were able to improve the gait in the "injured" rodents. The hydrogel prosthetics were combined with robot assistance, guided by muscle electromyography signals. Together, the two helped enhance the animal's gait without nerve stimulation. Furthermore, muscle tissue regeneration was effectively improved over the long term after the conductive hydrogel was used to fill muscle damage.

The injectable conductive hydrogel developed in this study excels in electrophysiological signal recording and stimulation performance, offering the potential to expand its applications. It presents a fresh approach to the field of bioelectronic devices and holds promise as a soft tissue prosthesis for rehabilitation support.





Schematic illustration showing the step-by-step operation of the C-RAR system, featuring IT-IC hydrogels, a robot, a treadmill, and self-healing stretchable cuff/epimysial electrodes. This system effectively raises the injured rat's right foot through precise EMG signal monitoring and controlled electrical nerve stimulation. Credit: Institute for Basic Science

Emphasizing the significance of the research, Professor Shin Mikyung notes, "We've created an injectable, mechanically tough, and electrically conductive soft tissue prosthesis ideal for addressing severe muscle damage requiring neuromusculoskeletal rehabilitation. The development of this injectable hydrogel, utilizing a novel cross-linking method, is a notable achievement. We believe it will be applicable not only in muscles and peripheral nerves but also in various organs like the brain and heart."

Professor Son Donghee added, "In this study, the closed-loop gait rehabilitation system entailing tough injectable hydrogel and stretchable and self-healing sensors could significantly enhance the <u>rehabilitation</u> prospects for patients with neurological and musculoskeletal challenges. It could also play a vital role in precise diagnosis and treatment across various organs in the human body."

The research team is currently pursuing further studies to develop new materials for nerve and <u>muscle</u> tissue regeneration that can be implanted in a minimally invasive manner. They are also exploring the potential for recovery in various <u>tissue</u> damages through the injection of the conductive hydrogel, eliminating the need for open surgery.

More information: Mikyung Shin, Injectable tissue prosthesis for instantaneous closed-loop rehabilitation, *Nature* (2023). <u>DOI:</u> <u>10.1038/s41586-023-06628-x</u>.



www.nature.com/articles/s41586-023-06628-x

Provided by Institute for Basic Science

Citation: 'Injectable tissue prosthesis' offers new approach for regenerating damaged muscle/nerve (2023, November 1) retrieved 11 May 2024 from <u>https://medicalxpress.com/news/2023-11-tissue-prosthesis-approach-regenerating-musclenerve.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.