

Study uncovers no compelling evidence that air purifiers prevent respiratory infections

November 23 2023, by Paul Hunter



Credit: Pixabay/CC0 Public Domain

The COVID pandemic led to many calls for improved <u>indoor air quality</u> with claims that doing so would reduce the risk of the <u>virus spreading</u>. However, the real-world evidence to support these claims has been



lacking, and studies undertaken during the pandemic have not yet been reported.

So, my colleagues and I reviewed the evidence before COVID and found that the balance of evidence was that air treatment does not, in fact, reduce illness from respiratory infections.

There are two main types of air treatment devices: <u>filters and air</u> <u>disinfectors</u>. Filters work by removing particles from the air that may contain infectious viruses. Air disinfectors use ultraviolet radiation or ozone to inactivate viruses in the air.

In our systematic review, we found 32 observational and experimental studies on the topic conducted between 1970 and 2022. Overall, the evidence was that these technologies did not reduce either the frequency of illness or its severity.

When looking at laboratory-confirmed influenza or norovirus infections, there was an apparent trend towards fewer infections. However, there was evidence of strong <u>publication bias</u>—which is where significantly positive results are more likely to get published than negative results.

Publication bias makes the apparent impact of any intervention or treatment appear stronger than it is, as those negative studies are simply not published.

Our review concluded that there is no strong evidence that air treatment technologies reduce the risks of respiratory-transmitted illnesses.

None of the studies included in the review was directly about COVID, as none had been published during the study period.

However, a recent German study (published in July), did investigate the



effect of high-efficiency particulate air (Hepa) filters on COVID in kindergartens. The researchers compared illness rates in schools that had new filters installed with those that did not.

They found that there was no significant difference between the two. Indeed, <u>infection</u> rates were slightly higher in children in those schools that had the filters installed.

What about ventilation?

This study did not consider research on the effect of ventilation, such as keeping windows open, on the risk of illness. One possible issue with the studies of air treatment is that ventilation rates may have been reduced, thereby increasing risk.

There has been a recent <u>systematic review</u> of the effect of <u>ventilation on</u> <u>COVID infection</u>. Although there was a bit more evidence in support of ventilation reducing infection, the studies were all of poor or very poor quality. As a result, the researchers concluded that the "level of confidence ascribed to this conclusion is low".

So differences in ventilation are unlikely to explain the negative findings in the air treatment studies.

If air treatment does not reduce the risk of illness, why may that be the case? I would argue that there are several reasons air treatment technologies were never going to be the panacea that some were <u>claiming</u>.

First, the risk of transmission of respiratory viruses depends on how close you are to an infected person. Early in the pandemic one group of scientists showed that the risk of infection dropped considerably the further someone got from an infectious person.



Someone who got within one meter of an infectious person was about five times at greater risk than someone who stayed more than one meter away. It is doubtful that air treatment would affect such close person-toperson transmission.

Second, even if air treatment was effective at preventing infection within a particular indoor space, people move regularly between spaces. Air treatment in your school or workplace will not protect you while on public transport or when gathering in other environments.

Finally, there is the issue of epidemic dynamics of infections that have a short duration of immunity. As I discussed over two years ago, infections like COVID that have a relatively short duration of immunity behave differently than would be predicted by standard epidemic models because people can be reinfected many times during their life as their immunity wanes.

Infections like COVID are better modeled by the SEIRS (susceptible, exposed, infected, recovered, susceptible) <u>model</u>. In this model, interventions like air filtration or wearing masks become less effective as most infections become reinfections. What then drives infection rates is the rate at which people lose their immunity.

So the balance of real-world evidence is that air treatment technologies do not reduce the risk of becoming ill from a respiratory infection like COVID. There is a little more evidence that increased ventilation may reduce that risk, but the evidence is far from compelling.

More information: Julii Brainard et al, Effectiveness of filtering or decontaminating air to reduce or prevent respiratory infections: A systematic review, *Preventive Medicine* (2023). DOI: 10.1016/j.ypmed.2023.107774



This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Study uncovers no compelling evidence that air purifiers prevent respiratory infections (2023, November 23) retrieved 9 May 2024 from https://medicalxpress.com/news/2023-11-uncovers-compelling-evidence-air-purifiers.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.