

FDA approves first test to spot folks at high risk of opioid use disorder

December 21 2023, by Dennis Thompson



A newly approved test can determine whether a person has a genetically

driven risk of becoming addicted to opioids.

The AvertD [test](#), the first of its kind, uses a DNA sample swabbed from a patient's cheek to determine if they have a combination of genetic variants associated with an elevated risk of opioid addiction.

The 15 genetic variants detected by the test are involved in the brain reward pathways that are associated with [opioid use disorder](#), the U.S. Food and Drug Administration explained.

"The [opioid crisis](#), one of the most profound public health issues facing the United States, calls for innovative measures to prevent, diagnose and treat opioid use disorder, including to assess the risk of developing the disorder," [Dr. Jeff Shuren](#), director of the FDA's Center for Devices and Radiological Health, said in a [statement](#) announcing the approval.

The AvertD test, manufactured by AutoGenomics Inc., is meant to help doctors assess the risk of prescribing opioid painkillers to patients about to undergo surgery, the FDA said.

The test is prescription-only and is to be used with a patient's consent if they have no prior use of opioids, the FDA added.

The FDA noted that the test isn't intended to be used in patients being treated for [chronic pain](#) and should not be used as the sole way to assess a person's risk of opioid addiction.

"AvertD may help patients who are concerned about being treated with an opioid for acute pain make better informed decisions," Shuren said.

The approval is based on a clinical trial involving 385 people, according to [materials](#) from an October 2022 advisory committee meeting evaluating the test's merits. Of those participants, 175 had a diagnosed

opioid use disorder.

The AvertD test accurately detected those at risk of opioid addiction about 83% of the time, results showed. It accurately ruled out those not at risk about 80% of the time.

However, test accuracy varied between ethnicities. The AvertD test accurately detected risk of [opioid addiction](#) about 81% of the time in whites, but nearly 92% of the time in Hispanics.

The FDA also noted that there are risks associated with the AvertD test, mainly false negative and [false positive](#) results.

A false positive could lead to a person being denied opioid painkillers even though they have no elevated genetic risk for addiction, the FDA said.

Meanwhile, a false negative could lead to someone becoming addicted because the test indicated they weren't at increased risk for opioid use disorder.

"The risks of false negative and [false positive results](#) can be mitigated, in part, through accurate, transparent product labeling and a health care provider training program," Shuren said.

As part of the approval, AutoGenomic must provide training to [health care professionals](#) to ensure appropriate use of the test, the FDA said.

Some experts are concerned about the test's use in [clinical practice](#), given that genetics are only one contributing factor in addiction.

"If you just ask people, 'Do you have a family history of addiction?' I would hypothesize that that would be a better risk categorizer than this

genetic test," [Dr. Katherine Keyes](#), a professor at the Columbia University Mailman School of Public Health in New York City, told *CNN*.

More information: The U.S. Food and Drug Administration has more information about [AvertD](#).

Copyright © 2023 [HealthDay](#). All rights reserved.

Citation: FDA approves first test to spot folks at high risk of opioid use disorder (2023, December 21) retrieved 16 June 2024 from <https://medicalxpress.com/news/2023-12-fda-folks-high-opioid-disorder.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--