


Reliable research and evidence-based recommendations scarce for women who exercise according to menstrual cycle

December 5 2023, by Matt Innes-Leroux

Hormonal Cycle Influence on Exercise Physiology: A Broad Overview



Graphical abstract. Credit: *Journal of Applied Physiology* (2023). DOI: 10.1152/jappphysiol.00346.2023

There is no shortage of advice for women on what to eat, how to train, or what supplements to take during their menstrual cycles, but a new review by an international team of scientists has found little evidence to support such recommendations.

In fact, they found sparse research on [women](#) and exercise at all and even less on the effect of their periods on sports performance, physiology, or physical fitness.

The authors of the paper, from McMaster University, Manchester Metropolitan University, and the Australian Catholic University in Melbourne, are calling for much more high-quality, standardized research on women.

A key finding from the [review](#) was that hormonal levels vary substantially between women during their menstrual periods and between the cycles of individual women. Virtually no woman has a standard version of a menstrual [cycle](#), which is typically 28 days long, with ovulation consistently occurring on day 14.

"The data suggests that from woman to woman, there are significant variations in estrogen and progesterone, the primary hormones that characterize the phases of the menstrual cycle," says co-lead author Alysha D'Souza, a graduate student in the Department of Kinesiology at McMaster University.

The findings are published in the most recent edition of the [Journal of Applied Physiology](#).

"Hormone levels can vary substantially. Not just between two women, but within one woman from one cycle to the next," says Mai Wageh, a Ph.D. candidate in the Department of Kinesiology at McMaster and co-lead author of the article.

The findings prompted D'Souza and Wageh to dig deeper into physiological differences across the menstrual cycle, broadly categorized into follicular, ovulatory, and luteal phases. They found few or no differences when they looked at exercise results across the cycle phases and examined women's use of fat versus carbohydrates, the potential for muscle growth, or blood-vessel function.

The review relied on various methods, including a [systematic review](#) and meta-analysis, narrative interpretation and a previous [umbrella review](#).

"Many women are following advice and planning exercises and practices based on some ostensible benefit of [menstrual cycle](#) phase-based exercise. We saw no evidence that such practice is science-based," said Stuart Phillips, a professor in the Department of Kinesiology at McMaster and senior author of the review.

"Women can feel better or worse, and some are even incapacitated during various phases of their cycle," said Wageh. "You need an individualized approach to training. Track your cycle and your symptoms in each phase and adjust your exercise plan accordingly. There is no one-size-fits-all approach."

The next steps for this work will be to determine whether symptoms often associated with menstruation are cycle-related or due to other stressors, including lack of sleep, poor nutrition, or work and relationship-related issues.

More information: Alysha C. D'Souza et al, Menstrual cycle hormones and oral contraceptives: a multimethod systems physiology-based review of their impact on key aspects of female physiology, *Journal of Applied Physiology* (2023). [DOI: 10.1152/jappphysiol.00346.2023](#)

Provided by McMaster University

Citation: Reliable research and evidence-based recommendations scarce for women who exercise according to menstrual cycle (2023, December 5) retrieved 29 April 2024 from <https://medicalxpress.com/news/2023-12-reliable-evidence-based-scarce-women-menstrual.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.