


# When some adolescent girls internalize rejection, it really is in their head

January 23 2024, by Alex Russell

---



Credit: Pixabay/CC0 Public Domain

Everyone ruminates about the bad things that happen to them. Whether it's a nasty breakup, an embarrassing failure or simply when someone is mean, it can be hard to stop thinking about what happened and why. For

people who ruminate too much, this negative thought pattern can cause lasting problems with mental health.

A research team led from the University of California, Davis, Center for Mind and Brain found that [adolescent girls](#) who have a stronger tendency to ruminate show different patterns of brain activity when faced with [social rejection](#). The [study](#) was published in December in the journal *Developmental Cognitive Neuroscience*.

"Everyone experiences rejection, but not everyone experiences it in the same way," said Amanda Guyer, associate director of the Center for Mind and Brain and professor of human ecology at UC Davis. "By identifying what [brain processes](#) cause differences in the tendency to ruminate, we can provide people better ways to avoid long-term harm."

## **Experiencing rejection during a brain scan**

The immediate experience of social rejection leaves distinct fingerprints on the brain that can be measured by [functional magnetic resonance imaging](#), or fMRI. This type of scanning can spot minute changes in [blood flow](#) and electrical activity in different parts of the brain. The wide range of what one feels and thinks is visible on an fMRI scan in real time.

In this study, 116 girls ranging in age from 16 to 19 took part in two tasks to measure how their brains responded to social rejection. During the first visit, the participants were shown photos of 60 teens their age and asked to select 30 they would want to chat with.

For the second visit, the participants were placed in the fMRI scanner and told which of the teens in the photos wanted to chat with them—and which teens didn't. While in the fMRI scanner, the girls were also asked how these responses—and how being rejected by someone they chose

during the first visit—made them feel. The data was collected from 2012 to 2014 and analyzed in 2023 when researchers applied new test methods.

## **How negative emotions can encode a self-image**

The fMRI showed that rejection increased activity in the parts of the brain that are known to play a role in how we define who we are.

These parts of the brain are all active with increased blood flow and [electrical activity](#) when we think about ourselves, or our emotional states, and when we retrieve our memories.

Being told a peer didn't want to chat with them was a form of social rejection, and this rejection showed up in the brain scans to varying degrees for every girl. However, girls who self-reported a tendency to ruminate had the highest activity in their brain scans.

"Our results suggest that girls who tend to ruminate are experiencing more than just momentary sadness after rejection," said Guyer. "They are deeply internalizing this [negative feedback](#) into their self-concept."

These findings show that unique processes in the [brain](#) are at play after rejection for girls with a high tendency to ruminate. This knowledge makes it possible to target interventions that can treat rumination so it doesn't cause bigger problems later on, Guyer said.

"Our study suggests that it can make a difference to reframe their negative experiences in a way that makes them feel better afterward instead of worse," said Guyer.

Besides Guyer, additional authors include Leehyun Yoon, also of UC Davis; Kate Keenan, University of Chicago, and Alison E. Hipwell and

Erika E. Forbes, both of University of Pittsburgh.

**More information:** Lee Hyun Yoon et al, Hooked on a thought: Associations between rumination and neural responses to social rejection in adolescent girls, *Developmental Cognitive Neuroscience* (2023). DOI: [10.1016/j.dcn.2023.101320](https://doi.org/10.1016/j.dcn.2023.101320)

Provided by UC Davis

Citation: When some adolescent girls internalize rejection, it really is in their head (2024, January 23) retrieved 1 May 2024 from <https://medicalxpress.com/news/2024-01-adolescent-girls-internalize.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.