

# E-cigarettes found to help more tobacco smokers quit than traditional nicotine replacement

January 8 2024

---



Credit: Pixabay/CC0 Public Domain

Nicotine e-cigarettes are more effective in helping people quit smoking than conventional nicotine-replacement therapy (NRT), according to the

latest Cochrane review co-led by a University of Massachusetts Amherst public health and health policy researcher.

The [review of studies published](#) on the *Cochrane Database of Systematic Reviews* found high certainty evidence that e-cigarettes, which allow users to "vape" nicotine instead of smoke it, lead to better chances of quitting [smoking](#) than patches, gums, lozenges or other traditional NRT.

"In England, quite different from the rest of the world, e-cigarettes have been embraced by public health agencies as a tool to help people reduce the harm from smoking," says Jamie Hartmann-Boyce, assistant professor of health policy and promotion in the School of Public Health and Health Sciences.

Worldwide, smoking is the leading cause of preventable disease and death, resulting in more than seven million deaths per year. "Most of the adults in the U.S. who smoke want to quit, but many find it really difficult to do so," says Hartmann-Boyce, who conducted research at the University of Oxford in England before joining UMass Amherst earlier this year.

"We need a range of evidence-based options for people to use to quit smoking, as some people will try many different ways of quitting before finding one that works for them."

Hartmann-Boyce, a Cochrane editor, is the senior author of the review, which included 88 studies and more than 27,235 participants—an addition of 10 studies since the last update in 2022. Most of the studies analyzed took place in the U.S., United Kingdom, or Italy.

E-cigarettes do not burn tobacco but rather heat liquids with nicotine and flavorings, allowing users to inhale a vapor that contains nicotine rather than inhaling [tobacco smoke](#). With conventional cigarettes, people who

smoke are exposed to a complex mix of chemicals that are known to cause diseases.

"We have very clear evidence that, though not risk-free, nicotine e-cigarettes are substantially less harmful than smoking," Hartmann-Boyce says. "Some people who haven't had success in the past with other quit aids have found e-cigarettes have helped them."

The analysis found that for every 100 people using nicotine e-cigarettes to stop smoking, eight to 10 would be expected to stop successfully, compared with six of 100 people using traditional nicotine-replacement therapy and four of 100 trying to quit with no support or just behavioral support.

The regular review of smoking cessation studies continues to offer strong evidence that can inform public health policies and strategies, offering people who smoke better tools to quit for good. Hartmann-Boyce emphasizes that the public health message is a nuanced and complex one, especially in the U.S.

While those who don't smoke tobacco should avoid the use of e-cigarettes for their potential negative health effects, Hartmann-Boyce says some people who smoke can improve their health and reduce their risks by quitting tobacco with the help of e-cigarettes.

"Not everything is either entirely harmful or beneficial," Hartmann-Boyce says. "Different things can have different impacts on different populations. Evidence shows that [nicotine](#) e-cigarettes can help people quit smoking and that people who don't smoke shouldn't use e-cigarettes."

She compares the tobacco smoking vs. [e-cigarette](#) scenario to treatment for a substance-use disorder involving opioids. "We're not going to

prescribe methadone to people who aren't addicted to opioids," Hartmann-Boyce says. "But for people addicted to opioids, we recognize that methadone is a helpful thing."

The U.S. Food and Drug Administration (FDA), which regulates e-cigarettes, has approved seven different medications that have been shown to help adults quit smoking. E-cigarettes are not one of them.

Earlier this year, in an update on the FDA's tobacco program, FDA commissioner Dr. Robert Califf stated, "While certain e-cigarettes may help adult smokers transition completely away from, or significantly reduce their use of more harmful combusted cigarettes, the law's [public health](#) standard balances that potential with the known and substantial risk with regard to youth appeal, uptake and use of these highly addictive products."

**More information:** Nicola Lindson et al, Electronic cigarettes for smoking cessation, *Cochrane Database of Systematic Reviews* (2024). [DOI: 10.1002/14651858.CD010216.pub8](https://doi.org/10.1002/14651858.CD010216.pub8)

Provided by University of Massachusetts Amherst

Citation: E-cigarettes found to help more tobacco smokers quit than traditional nicotine replacement (2024, January 8) retrieved 28 April 2024 from <https://medicalxpress.com/news/2024-01-cigarettes-tobacco-smokers-traditional-nicotine.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--