

Female reproductive milestones may be risk factors for diabetes and high cholesterol later in life

January 26 2024



Credit: Pixabay/CC0 Public Domain

A new review of available evidence led by researchers at the Harvard Pilgrim Health Care Institute suggests that female reproductive

characteristics may be overlooked as risk factors that contribute to later metabolic dysfunction.

The review, "Reproductive [risk factors](#) across the female lifecourse and later metabolic health," was [published](#) in the January 26 edition of *Cell Metabolism*.

Metabolic health is characterized by optimal blood glucose, lipids, blood pressure, and body fat. Alterations in these characteristics may lead to the development of type 2 diabetes or [cardiovascular disease](#).

"Our review provides insights into potential underlying causes and risk factors for poorer metabolic function," said lead author Amy R. Nichols Ph.D., MS, RD, a research fellow at the Harvard Pilgrim Health Care Institute and the Harvard T.H. Chan School of Public Health. "Current evidence linking certain female reproductive traits to chronic metabolic health and disease suggests that screening for reproductive risk factors across the lifecourse may be an initial step to aid prevention or treatment of chronic metabolic diseases."

These reproductive risk factors include early age of first menstruation, menstrual irregularity, the development of polycystic ovary syndrome (PCOS), high weight change in pregnancy, abnormal blood sugar and lipid levels during pregnancy, and the severity and timing of menopausal symptoms. The authors note these traits may share underlying mechanisms leading to poorer [metabolic health](#), including genetic influences, hormonal fluctuations, or body fat. Though acknowledging these reproductive milestones as risk factors is one step toward better understanding the development of metabolic dysfunction, the study teams says future research is needed to understand these complex relationships.

"Disentangling the relationship between risk factors and metabolic

dysfunction is challenging," said senior author Emily Oken MD, MPH, Harvard Medical School Professor and Chair of the Department of Population Medicine at the Harvard Pilgrim Health Care Institute. "Clinical evidence gathered in the health care setting across the female reproductive lifespan may be critical for patient education, implementing prevention strategies, and staving off disease onset."

More information: Amy R. Nichols et al, Reproductive risk factors across the female lifecourse and later metabolic health, *Cell Metabolism* (2024). [DOI: 10.1016/j.cmet.2024.01.002](https://doi.org/10.1016/j.cmet.2024.01.002)

Provided by Harvard Medical School

Citation: Female reproductive milestones may be risk factors for diabetes and high cholesterol later in life (2024, January 26) retrieved 10 May 2024 from <https://medicalxpress.com/news/2024-01-female-reproductive-milestones-factors-diabetes.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--