

Treating loneliness in the obese may lower risk of early death

January 23 2024, by Robin Foster



Loneliness can be a killer, but it can be particularly deadly for obese people, who are markedly more likely to experience social isolation. Fortunately, a new study shows that addressing it may lower the risk of

health complications and early death for these folks.

"To date, dietary and lifestyle factors are the [major focus](#) in preventing obesity-related illness," study author Dr. Lu Qi, interim chair of the department of epidemiology at Tulane University School of Public Health and Tropical Medicine in New Orleans, told CNN. "Our study highlights the importance of taking social and [mental health](#) into account in improving health for people with obesity."

Dr. Philipp Scherer, a professor of internal medicine at the University of Texas Southwestern Medical School, wasn't surprised by the findings.

But the results do point to improving "[social isolation](#) as a potential remedy for the reduction of mortality," he told CNN.

In the study, researchers looked at data from nearly 400,000 people from the UK BioBank, a large database that has tracked the health of Britons for years. Those included in the research did not have [heart disease](#) when the scientists began collecting data for this latest study. They then followed up with the volunteers between March 2006 and November 2021.

During that period, all causes of death for people who were obese was 36% lower in those who felt less lonely and socially isolated, compared to a 9% decrease in risk of [early death](#) among those who weren't obese or lonely.

"It is the time to integrate social and [psychological factors](#) into other dietary and [lifestyle factors](#) in the development of intervention strategies for preventing obesity-related [health] complications," Qi said.

The findings were [published](#) Jan. 22 in the journal *JAMA Network Open*.

While not discussed as often as diet or exercise, loneliness is now being recognized as a major risk factor for poor health outcomes.

People who felt socially isolated were 32% more likely to die early than those who did not, a recent [study](#) revealed.

"We need as humans to feel known by other people in order to feel seen— to feel kind of like we exist in the world," said Rachael Benjamin, a licensed clinical social worker based in New York City.

But fat phobia can make it harder for [obese people](#) to feel understood and accepted, she added.

Breaking down that bias is hard, but obese people can try to develop more quality relationships, Benjamin said.

"Two people can feel like they're both being heard and seen and taken in and can kind of play a little bit," Benjamin said. "And also feel respected by both people and be honest about how they're feeling."

To get there, she recommends asking if you are isolating yourself to protect yourself or out of habit. If you are, make the effort to try to connect with people more regularly.

"Maybe it's uncomfortable, but maybe I'm willing to be braver, willing to kind of take a chance," Benjamin said. "It just takes time and work and effort."

More information: Jian Zhou et al, Improvement of Social Isolation and Loneliness and Excess Mortality Risk in People With Obesity, *JAMA Network Open* (2024). [DOI: 10.1001/jamanetworkopen.2023.52824](#)

2024 HealthDay. All rights reserved.

Citation: Treating loneliness in the obese may lower risk of early death (2024, January 23)
retrieved 28 April 2024 from

<https://medicalxpress.com/news/2024-01-loneliness-obese-early-death.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.