

## Our sense of taste helps pace our eating. Understanding how may lead to new avenues for weight loss

January 28 2024, by Zachary Knight



Credit: Unsplash/CC0 Public Domain

As a scientist who investigates hunger and weight control, I'm interested in the way our brains let us know we've had enough.



As we begin to feel full, we slow down how quickly we eat. For decades, scientists have thought that this change in pace was driven solely by signals from the stomach and intestines to the brain. But a new study from my lab at UC San Francisco shows that, in fact, there is another process at work, and it begins as soon as we taste our food.

This process has remained unknown until now because we haven't been able to observe the relevant brain activity in an animal while it was eating. The <u>neurons</u> involved are deep in the brainstem. A graduate student in my lab, Truong Ly, developed new techniques that allowed us to see the activity of these neurons for the first time, in mice.

We discovered that there are two parallel pathways that control our eating—one that restrains how fast you eat and another that limits how much. The taste of food activates the first pathway. This may seem counterintuitive: We usually want to eat more of food that tastes good. But although we may not be consciously aware of it, the sensation of taste also paces our eating.

This first pathway, as scientists have long thought, involves signals from the gut, but our study shows that those cues may also be overridden when the <a href="https://doi.org/10.2016/journal.org/10.2016/j

Neurons involved in the second pathway we studied, the one responsible for limiting how much you eat, do so by releasing the hormone GLP-1, which creates a long-lasting feeling of being full. New drugs for obesity, such as Ozempic and Mounjaro, mimic the activity of GLP-1. My team is now trying to understand how this enduring satiety works, to gain a deeper understanding of these new drugs and possibly identify new avenues for controlling weight.



**More information:** Zachary Knight, Sequential appetite suppression by oral and visceral feedback to the brainstem, *Nature* (2023). <u>DOI:</u> 10.1038/s41586-023-06758-2.

www.nature.com/articles/s41586-023-06758-2

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

## Provided by The Conversation

Citation: Our sense of taste helps pace our eating. Understanding how may lead to new avenues for weight loss (2024, January 28) retrieved 17 May 2024 from <a href="https://medicalxpress.com/news/2024-01-pace-avenues-weight-loss.html">https://medicalxpress.com/news/2024-01-pace-avenues-weight-loss.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.