


Prognostic significance of senescence-related tumor microenvironment genes in head and neck squamous cell carcinoma

January 31 2024



Immunotherapy response prediction of senescence related TME risk model and STCGs expression in single cell level. Credit: 2024 Lee et al.

A new research paper titled "Prognostic significance of senescence-

related tumor microenvironment genes in head and neck squamous cell carcinoma" has been [published](#) in *Aging*.

The impact of the senescence-related microenvironment on cancer prognosis and therapeutic response remains poorly understood. In this new study, researchers Young Chan Lee, Yonghyun Nam, Minjeong Kim, Su Il Kim, Jung-Woo Lee, Young-Gyu Eun, and Dokyoon Kim from Kyung Hee University, Kyung Hee University Hospital at Gangdong, and the University of Pennsylvania investigated the prognostic significance of senescence-related tumor microenvironment genes (PSTGs) and their potential implications for immunotherapy response.

Using the Cancer Genome Atlas- head and neck [squamous cell carcinoma](#) (HNSC) data, the researchers identified two subtypes based on the expression of PSTGs, acquired from tumor-associated senescence genes, [tumor microenvironment](#) (TME)-related genes, and immune-related genes, using consensus clustering. Using the LASSO, they constructed a risk model consisting of senescence-related TME core genes (STCGs). The two subtypes exhibited significant differences in prognosis, genetic alterations, methylation patterns, and enriched pathways, and immune infiltration.

"Our [risk model](#) stratified patients into high-risk and low-risk groups and validated in independent cohorts," the researchers explain.

The high-risk group showed poorer prognosis and immune inactivation, suggesting reduced responsiveness to immunotherapy. Additionally, the team observed a significant enrichment of STCGs in [stromal cells](#) using single-cell RNA transcriptome data. Their findings highlight the importance of the senescence-related TME in HNSC prognosis and response to immunotherapy.

"This study contributes to a deeper understanding of the complex interplay between [senescence](#) and the TME, with potential implications for precision medicine and personalized treatment approaches in HNSC," the researchers write in summary.

More information: Young Chan Lee et al, Prognostic significance of senescence related tumor microenvironment genes in head and neck squamous cell carcinoma, *Aging* (2023). [DOI: 10.18632/aging.205346](https://doi.org/10.18632/aging.205346)

Provided by Impact Journals LLC

Citation: Prognostic significance of senescence-related tumor microenvironment genes in head and neck squamous cell carcinoma (2024, January 31) retrieved 12 May 2024 from <https://medicalxpress.com/news/2024-01-prognostic-significance-senescence-tumor-microenvironment.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--