

# Childhood trauma study uncovers brain rewiring

February 5 2024

---



Credit: Unsplash/CC0 Public Domain

A brain study of childhood trauma has revealed how it affects development and rewires vital pathways.

The University of Essex study—led by the Department of Psychology's Dr. Megan Klabunde—uncovered a disruption in [neural networks](#) involved in self-focus and problem-solving. The findings are [published](#)

in the journal *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*.

This suggests that those under age 18 who have experienced abuse will likely struggle with emotions, empathy and understanding their bodies. Difficulties in school caused by memory, hard mental tasks and decision making may also emerge.

Dr. Klabunde's novel research used AI to re-examine hundreds of brain scans and identify patterns. It is hoped that the research will help hone new treatments for children who have endured mistreatment. This could mean that therapists could focus on techniques to rewire these centers and rebuild patients' sense of self.

Dr. Klabunde said, "Currently, science-based treatments for childhood trauma primarily focus on addressing the fearful thoughts and avoidance of trauma triggers. This is a very important part of trauma treatment. However, our study has revealed that we are only treating one part of the problem. Even when a child who has experienced trauma is not thinking about their traumatic experiences, their brains are struggling to process their sensations within their bodies. This influences how one thinks and feels about one's 'internal world' and this also influences one's ability to empathize and form relationships."

Dr. Klabunde reviewed 14 studies involving more than 580 children for the research, which re-examined [functional magnetic resonance](#) imaging (fMRI) scans. This procedure highlights [blood flow](#) in different centers, showing neurological activity.

The study discovered a marked difference in traumatized children's default mode (DMN) and central executive networks (CEN)—two large scale brain systems. The DMN and the posterior insula are involved in how people sense their bodies, their sense of self and their internal

reflections.

New studies are finding that the DMN plays an important role in most [mental health problems](#)—and may be influenced by experiencing childhood trauma. The CEN is also more active than in healthy children, which means that children with trauma histories tend to ruminate and relive terrible experiences when triggered.

Dr. Klabunde hopes this study will be a springboard to find out more about how trauma affects developing minds.

She said, "Our brain findings indicate that [childhood trauma](#) treatments appear to be missing an important piece of the puzzle. In addition to preventing avoidance of scary situations and addressing one's thoughts, trauma therapies in children should also address how trauma impacts on one's body, sense of self, emotional/empathetic processing, and relationships. This is important to do so since untreated symptoms will likely contribute to other health and mental health problems throughout the lifespan."

Dr. Klabunde worked with Dr. Anna Hughes, also from the Department of Psychology, and Masters student Rebecca Ireton on the study.

**More information:** Rebecca Ireton et al, An FMRI Meta-Analysis of Childhood Trauma, *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* (2024). [DOI: 10.1016/j.bpsc.2024.01.009](https://doi.org/10.1016/j.bpsc.2024.01.009)

Provided by University of Essex

Citation: Childhood trauma study uncovers brain rewiring (2024, February 5) retrieved 28 April 2024 from <https://medicalxpress.com/news/2024-02-childhood-trauma-uncovers-brain->

[rewiring.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.