

Clinical markers improve with IV ertapenem for hidradenitis suppurativa

February 21 2024, by Elana Gotkine



Treatment of hidradenitis suppurativa (HS) with intravenous ertapenem is associated with improvement in clinical and inflammatory markers, according to a study published online Feb. 19 in *JAMA Dermatology*.

Avigdor Nosrati, M.D., from the Albert Einstein College of Medicine in

New York City, and colleagues conducted a retrospective review of the medical records of 98 patients with HS between 2018 and 2022 to examine optimal course duration, efficacy, and [patient satisfaction](#) associated with intravenous ertapenem. Treatment was with 1 g of ertapenem, which was self-administered at home for 12 to 16 weeks.

The mean treatment duration spanned 13.1 weeks; posttherapy follow-up occurred after 7.8 weeks. The researchers observed significant reductions in the mean HS Physician Global Assessment scores from baseline to posttherapy follow-up and in the numerical rating scale for pain, C-reactive protein, interleukin-6, and leukocytes. Overall, 78.0 percent of the patients participated in the [telephone survey](#) at follow-up, with 80.3 percent reporting medium-to-high satisfaction. Most patients (90.8 percent) would recommend ertapenem to other patients.

"Larger, prospective, randomized [clinical trials](#) are needed to further optimize ertapenem dosing and duration, to evaluate the coadministration of other therapies, and to develop strategies for maintaining therapeutic outcomes," the authors write.

One author disclosed ties to Verrica Pharmaceuticals.

More information: Avigdor Nosrati et al, Efficacy and Durability of Intravenous Ertapenem Therapy for Recalcitrant Hidradenitis Suppurativa, *JAMA Dermatology* (2024). [DOI: 10.1001/jamadermatol.2023.6201](#)

Haley B. Naik, Balancing Ertapenem Therapy in Recalcitrant Hidradenitis Suppurativa With Antibiotic Stewardship, *JAMA Dermatology* (2024). [DOI: 10.1001/jamadermatol.2023.6197](#)

Copyright © 2024 [HealthDay](#). All rights reserved.

Citation: Clinical markers improve with IV ertapenem for hidradenitis suppurativa (2024, February 21) retrieved 28 April 2024 from <https://medicalxpress.com/news/2024-02-clinical-markers-iv-ertapenem-hidradenitis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.