

# Study provides first evidence of direct impact of serotonin on development of prefrontal cortex

February 16 2024

---



Credit: Pixabay/CC0 Public Domain

A new study published in *Nature Communications* provides direct evidence that antidepressant use during pregnancy can impact a child's brain development and contribute to the risk of mental health disorders later in life.

The study, led by researchers at the University of Colorado Anschutz Medical Campus, focused on the effect of fluoxetine, commonly used in medications such as Prozac and Sarafem for treating depression and perinatal depression, on a developing prefrontal cortex.

Since fluoxetine works by increasing the levels of [serotonin](#) in the brain, the researchers looked at the impact serotonin has on prefrontal cortex development in a fetus.

"While it is known that serotonin plays a role in brain development, the mechanisms responsible for this influence, specifically in the prefrontal cortex, have been unclear. The prefrontal cortex, the most evolved brain region, plays a central role in highest-order cognition, which is why we focused our study on finding the answer from this brain area," said lead author Won Chan Oh, Ph.D., assistant professor in the Department of Pharmacology at CU Anschutz.

Oh and his student, Roberto Ogelman, a neuroscience Ph.D. candidate, found serotonin directly influences nascent and immature excitatory synaptic connections in the prefrontal cortex, which if disrupted or dysregulated during early development can contribute to various mental health disorders.

"Our research uncovers the specific processes at the synaptic level that explain how serotonin contributes to the development of this important brain region during early-life fluoxetine exposure," adds Oh. "We are the first to provide experimental evidence of the direct impact of serotonin on the developing [prefrontal cortex](#) when fluoxetine is taken during pregnancy, because fluoxetine not only crosses the placenta but also passes into breast milk."

To study the effect, the researchers looked at the impact of deficiency and surplus of serotonin on [brain development](#) in mice. They discovered that serotonin is not just involved in overall brain function but also has a specific role in influencing how individual connections between neurons change and adapt, contributing to the brain's ability to learn and adjust.

"Understanding this correlation has the potential to help with [early intervention](#) and the development of new therapeutics for [neurodevelopmental disorders](#) involving serotonin dysregulation," said Oh.

The researchers say [health care professionals](#) should be involved in decision-making around individualized care for [pregnant women](#), including discussing the benefits and side effects of antidepressants and possible non-pharmacological interventions for postpartum depression.

The researchers plan to continue studying the impact of fluoxetine, next examining its impact on a developing teenage brain.

**More information:** Serotonin modulates excitatory synapse maturation in the developing prefrontal cortex, *Nature Communications* (2024). [DOI: 10.1038/s41467-024-45734-w](https://doi.org/10.1038/s41467-024-45734-w)

Provided by CU Anschutz Medical Campus

Citation: Study provides first evidence of direct impact of serotonin on development of prefrontal cortex (2024, February 16) retrieved 9 May 2024 from <https://medicalxpress.com/news/2024-02-evidence-impact-serotonin-prefrontal-cortex.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.