


# Gut bacteria can process dietary fiber into an anti-allergy weapon, finds new study

February 1 2024



Butyrate, valerate, and niacin ameliorate anaphylaxis by suppressing IgE-dependent mast cell activation: Roles of GPR109A, PGE<sub>2</sub>, and epigenetic regulation  
Nagata et al. (2024) | *The Journal of Immunology* | DOI: 10.4049/jimmunol.2300188

Gut bacteria break down dietary fiber into short-chain fatty acids, which are known to affect our immune system. In this study, researchers investigated in detail the mechanisms by which these compounds mediate the activation of mast cells. Credit: Chiharu Nishiyama from Tokyo University of Science, Japan

The intricate relationship that exists between humans and the gut microbiome has become a hot research topic, and scientists are constantly uncovering new reasons why a healthy diet can lead to a

healthier life.

Dietary fibers are a particularly important aspect of this connection. When we ingest these compounds, which are mainly found in plant-based foods, our gut bacteria break them down into [small molecules](#), called short-chain [fatty acids](#) (SCFAs). Over the past few years, studies have revealed various important anti-inflammatory and immunomodulating effects of SCFAs.

One of the ways SCFAs interact with our immune system is by mediating the activation of mast cells (MCs). These [white blood cells](#) are loaded with small sacs called "granules," which are full of enzymes and signaling molecules like histamine.

When an MC detects an antigen (foreign body), it becomes active and undergoes degranulation, releasing these substances to nearby tissue and triggering a fast immune response. Usually, MCs play a central role in allergic diseases, including pollinosis and severe food allergies.

While there is considerable evidence that SCFAs have anti-allergic properties, the precise mechanisms by which they regulate the function of MCs remain unclear.

A research team led by Professor Chiharu Nishiyama from Tokyo University of Science, Japan, decided to address this knowledge gap through extensive experiments on mouse MCs and SCFAs. Their findings were [published](#) in *The Journal of Immunology* on January 10, 2024.

The researchers initially found that feeding mice with butyric acid and valeric acid, two representative SCFAs, significantly suppressed passive cutaneous anaphylaxis (a type of well-studied allergic reaction induced artificially in laboratory settings). Using MC cultures, the team then

showed that treating MCs with various SCFAs suppressed Immunoglobulin E (IgE)-mediated activation, a crucial pathway in allergic reactions.

Through subsequent experiments involving genetically modified cells and precise RNA inhibitors, they managed to further piece together the puzzle. The researchers found that SCFAs mediated MC activation in mainly two ways.

The first was through the recognition and interaction with the GPR109A receptor. Upon binding with SCFA, a chemical cascade ensues, culminating with the synthesis and secretion of prostaglandins. These substances interact with EP3 receptors in MCs and prevent degranulation, limiting the release of histamine and minimizing allergic response.

The second was through epigenetics (or reversibly altering specific genes). The researchers confirmed that SCFAs affected histone deacetylase inhibitory activity, which regulates epigenetic modifications. This led to changes in the expression levels of the IgE-receptor, which ultimately inhibited degranulation in MCs.

Additional experiments revealed that [non-steroidal anti-inflammatory drugs](#) suppressed the anti-allergic effects of SCFAs, and that vitamin B-3, which interacts with the GPR109A receptor, also inhibited MC degranulation.

Together, the findings of this study can help scientists navigate the intricacies of how our bodies regulate our immune system with the help of gut bacteria. And people with allergies stand to gain from these insights.

"The activation of mast cell is a common cause of various [allergic](#)

[diseases](#) and not limited to anaphylaxis. In addition, I think that the increasing frequency of allergic patients is associated with changes in diet in these decades. Allergies are so common that one in two Japanese people is said to have some kind of allergic disease, and the results of our study showcase dietary fibers as an effective way of treating them," says Prof. Nishiyama.

Considering that about 200,000 visits to the emergency room per year are due to anaphylaxis in the United States alone, this work could not only save lives from by preventing this dangerous condition, but also help ameliorate the burden on health care systems.

Satisfied with the results, Prof. Nishiyama concludes by noting the importance of eating well. "It is important to demonstrate with scientific evidence how dietary conditions affect health," she says. "This research has revealed part of the complex regulatory mechanisms involving various food-related components, including dietary fiber, SCFAs, polyunsaturated fatty acids, and vitamins."

Notably, Prof. Nishiyama and her colleagues now intend to investigate the relationship between the mucosal environment and immunoregulation by focusing on specific SCFAs, which may lead to the uncovering of the health benefits of various foods soon.

**More information:** Kazuki Nagata et al, Butyrate, Valerate, and Niacin Ameliorate Anaphylaxis by Suppressing IgE-Dependent Mast Cell Activation: Roles of GPR109A, PGE2, and Epigenetic Regulation, *The Journal of Immunology* (2024). [DOI: 10.4049/jimmunol.2300188](https://doi.org/10.4049/jimmunol.2300188)

Provided by Tokyo University of Science

Citation: Gut bacteria can process dietary fiber into an anti-allergy weapon, finds new study (2024, February 1) retrieved 29 April 2024 from <https://medicalxpress.com/news/2024-02-gut-bacteria-dietary-fiber-anti.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.