

Consistent health insurance is critical for pediatric cancer patients, finds study

February 6 2024, by Neil Schoenherr





Credit: Pixabay/CC0 Public Domain

Inconsistent Medicaid enrollment was associated with a higher risk of death in pediatric cancer patients, according to a new study from the Brown School at Washington University in St. Louis.

"This paper underscores the importance of continuous access to health care for all children and adolescents," said Kim Johnson, a professor at the Brown School and first author of "Associations between Medicaid enrollment and diagnosis stage and survival among pediatric cancer patients," <u>published</u> in January in the journal *Pediatric Blood & Cancer*.

To evaluate Medicaid-associated disparities, Johnson and her co-authors used Surveillance, Epidemiology and End Results–Medicaid linked data to examine diagnosis stage and survival disparities in cancer cases diagnosed from birth to 19-years-old in those who were enrolled in Medicaid, the government health care insurance program for lowincome people, with both intermittent and continuous enrollment.

Among 21,502 cases examined, higher odds of later-stage diagnoses were observed in association with Medicaid enrollment, with the highest odds when enrollment wasn't continuous. Among 30,654 cases, researchers found a higher risk of cancer death in those with Medicaid enrollment, with the highest risk among those with intermittent enrollment.

However, Johnson cautioned that other factors may be at play, and further study is needed.

"Children and adolescents enrolled in Medicaid who are by definition low income have higher risks for <u>cancer</u> death than children and



adolescents not enrolled in Medicaid," she said. "Other factors that are associated with being low income besides having <u>health insurance</u> may be involved.

"Therefore, it is important to consider how the social determinants of health also play a role in these results," she said. "These could include challenges in transportation and getting time off of work to attend to the child's illness, among other factors."

More information: Kimberly J. Johnson et al, Associations between Medicaid enrollment and diagnosis stage and survival among pediatric cancer patients, *Pediatric Blood & Cancer* (2024). <u>DOI:</u> <u>10.1002/pbc.30861</u>

Provided by Washington University in St. Louis

Citation: Consistent health insurance is critical for pediatric cancer patients, finds study (2024, February 6) retrieved 12 May 2024 from <u>https://medicalxpress.com/news/2024-02-health-critical-pediatric-cancer-patients.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.