


Assessing ischemic stroke risk at an early stage using tear fluid, mitochondria and AI-based data

February 27 2024



R lashamia straka masualmaa DAIVa

A Numbers (million) of ischemic stroke incidence and deaths among different age and sex categories in 2016 and 2019. B Numbers (million) of ischemic stroke prevalence and DALYs among different age and sex categories in 2016 and 2019. Credit: *EPMA Journal* (2024). DOI: 10.1007/s13167-024-00356-6



Every year, more than 100 million people worldwide suffer a stroke. Ischemic strokes (cerebral infarction) are the most common, but they can also occur silently and therefore often go undetected. This can result in serious illnesses such as dementia, depression or even suicide.

In order to determine the risk of stroke at an early stage, Prof. Dr. Olga Golubnitschaja, head of the research group for 3P (predictive, preventive and personalized) medicine at the University Hospital Bonn (UKB), together with the University of Bonn and other authors from 25 institutions from 11 countries, has developed a holistic approach to health risk assessment associated with targeted prevention and individualized treatment algorithms.

The research article has now been <u>published</u> in *The EPMA Journal*.

The number of strokes has increased worldwide in recent years. "The figures for <u>younger people</u> under 50 are particularly alarming," explains Prof. Golubnitschaja. "The number here has doubled within three years. There are also undetected cases. It is estimated that the proportion in the population is around 14 times greater than the proportion of diagnosed cases to which reactive medical measures are applied."

Paradigm shift from reactive to predictive medicine required

The researchers have therefore developed an innovative concept that aims to help prevent strokes and focuses on predictive rather than reactive medicine. In other words, the aim is to predict the probability of illness and take measures based on this to reduce the risk of illness instead of reacting to an already established illness.

"The development from a predisposition to a clinically proven stroke or



cardiac arrest does not happen overnight, but over a period of years. Therefore, the time for targeted prevention is ample and should be used cost-effectively in favor of susceptible population groups. There are various risk factors and parameters that indicate this and which can be investigated in advance," says Prof. Golubnitschaja.

Together with her 3PM research group at the University of Bonn and the international 3PM consortium (European Association for Predictive, Preventive and Personalised Medicine, EPMA), she has developed a non-invasive, painless approach that uses a health risk assessment through tear fluid, mitochondria as a vital biosensor and AI-supported data interpretation.

Mitochondria serve as natural biosensors

"Mitochondria are present in every cell of our body and act as a vital partner and strict observer of whether everything runs smoothly with our health," explains Prof. Golubnitschaja "If something is wrong, the mitochondria report through mitophagy and signal to all systems that we have a health problem. These signals can be measured objectively using liquid biopsies." The non-invasive and painless collection and analysis of tear fluid allows an individualized profile of the patient to be created.

Supplemented by additional routine questioning during a regular check-up, for example including family predispositions, lifestyle, sleeping and <u>eating habits</u>, a series of parameters for individualized risk assessment is created. Due to the large number of parameters recorded, the researchers are using <u>artificial intelligence</u> (AI) to develop algorithms that enable a robust <u>health risk assessment</u>, predictive diagnostics and thus the development of targeted <u>preventive measures</u>.

"The implementation of the 3PM innovation saves both human and <u>financial resources</u>," says Prof. Golubnitschaja "The estimated global



economic burden of strokes is over 891 billion US dollars every year. This is an economic disaster that we want to counteract through predictive medicine by using our holistic approach to prevent strokes before they occur."

More information: Olga Golubnitschaja et al, The paradigm change from reactive medical services to 3PM in ischemic stroke: a holistic approach utilising tear fluid multi-omics, mitochondria as a vital biosensor and AI-based multi-professional data interpretation, *EPMA Journal* (2024). DOI: 10.1007/s13167-024-00356-6

Provided by University Hospital of Bonn

Citation: Assessing ischemic stroke risk at an early stage using tear fluid, mitochondria and AI-based data (2024, February 27) retrieved 8 May 2024 from https://medicalxpress.com/news/2024-02-ischemic-early-stage-fluid-mitochondria.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.