

Refrigerate lettuce to reduce risk of E. coli contamination, researchers say

February 29 2024, by Marianne Stein



Credit: Pixabay/CC0 Public Domain

Leafy green vegetables are important sources of dietary fiber and nutrients, but they can harbor harmful pathogens. In particular, lettuce has often been involved in outbreaks of foodborne illness across the U.S.

A [new study](#) from the University of Illinois Urbana-Champaign examines factors that affect *E. coli* contamination on five different leafy greens—romaine lettuce, green-leaf lettuce, spinach, kale, and collards.

"We are seeing a lot of outbreaks on lettuce, but not so much on kale and other brassica vegetables. We wanted to learn more about the susceptibility of different leafy greens," said lead author Mengyi Dong, now a postdoctoral research associate at Duke University. Dong conducted the research as a doctoral student in the Department of Food Science and Human Nutrition (FSHN), part of the College of Agricultural, Consumer, and Environmental Sciences (ACES) at the U. of I.

The researchers infected whole leaves from each of the five vegetables with *E. coli* O157:H7 and observed what happened after storage at 4° C (39° F), 20° C (68° F), and 37° C (98.6° F). Overall, they found that susceptibility was determined by a combination of temperature and leaf surface properties, such as roughness and the natural wax coating.

"At [room temperature](#) or higher, *E. coli* grows very fast on lettuce, but if lettuce is refrigerated at 4° C (39° F), we see a sharp decline in the *E. coli* population. However, for waxy greens like kale and collard, we get the opposite results. On these vegetables, *E. coli* grows slower under warmer temperatures, but if it is already present, it can survive longer under refrigeration."

Even so, kale and collard are overall less susceptible to *E. coli* contamination than lettuce. Furthermore, these vegetables are usually cooked—which kills or inactivates *E. coli*—while lettuce is consumed raw. Rinsing lettuce does help, Dong said, but doesn't remove all the bacteria because of their tight attachment to the leaf.

The researchers also inoculated cut leaves with *E. coli* O157:H7 to

compare the intact surface of a whole leaf to the damaged surface of a cut leaf.

"Whole leaves and freshly cut leaves present different situations. When the leaf is cut, it releases vegetable juice, which contains nutrients that stimulate bacterial growth," Dong explained. However, the researchers found that spinach, kale, and collard juice actually exhibited antimicrobial properties that protect against E. coli.

To further explore these findings, they isolated juice (lysate) from kale and collards and applied the liquid to lettuce leaves, finding that it can be used as a natural antimicrobial agent. The potential applications could include antimicrobial spray or coating to control foodborne pathogen contaminations at both pre-harvest and post-harvest stages, the researchers said.

"We can't completely avoid pathogens in food. Vegetables are grown in soil, not in a sterile environment, and they will be exposed to bacteria," said co-author Pratik Banerjee, associate professor in FSHN and Illinois Extension specialist.

"It's a complex problem to solve, but we can embrace best practices in the [food industry](#) and food supply chain. There's a lot of interest from the [research community](#) and [federal agencies](#) to address these issues, and the USDA imposes high standards for food production, so overall, the U.S. food supply is quite safe."

Banerjee and Dong emphasize they do not want to discourage people from eating [fresh fruit](#) and vegetables; they are part of a healthy diet. Just follow food safety guidelines, wash your lettuce thoroughly, store it in the refrigerator, and pay attention to any food safety recalls in your area, they conclude.

The findings are published in the journal *Food Microbiology*.

More information: Mengyi Dong et al, Fates of attached E. coli o157:h7 on intact leaf surfaces revealed leafy green susceptibility, *Food Microbiology* (2023). [DOI: 10.1016/j.fm.2023.104432](https://doi.org/10.1016/j.fm.2023.104432)

Provided by University of Illinois at Urbana-Champaign

Citation: Refrigerate lettuce to reduce risk of E. coli contamination, researchers say (2024, February 29) retrieved 13 May 2024 from <https://medicalxpress.com/news/2024-02-refrigerate-lettuce-coli-contamination.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--