


# Robotic-assisted surgery and navigation don't affect infection risk after hip arthroplasty: Study

February 8 2024

---



Credit: Pixabay/CC0 Public Domain

For patients undergoing total hip arthroplasty (THA), the use of robotic-assisted surgery and surgical navigation techniques is not associated with

an increased risk of periprosthetic joint infection (PJI), suggests a [study](#) in *The Journal of Bone & Joint Surgery*. The research was led by Alberto V. Carli, MD, and colleagues of Hospital for Special Surgery, New York.

Computer navigation and robotic assistance are increasingly used during THA. These technologies have shown beneficial effects, including more accurate component positioning and a lower risk of postoperative instability. However, "It remains unknown as to whether use of [CN and RA] leads to an improvement in long-term functional outcomes or implant longevity," according to the authors.

The use of CN and RA requires the presence of additional equipment and personnel in the [operating room](#), and has been linked to longer operating times. Together, these factors might lead to an increased risk of surgical-site contamination and PJI, a major cause of implant failure after THA.

Dr. Carli and colleagues analyzed their hospital's experience of nearly 13,000 patients undergoing primary THA between 2018 and 2021. During this time, CN was used during THA in 21% of patients and RA in 16%. The remaining 63% of patients underwent conventional THA without CN or RA.

## **Similarly low rates of PJI, with or without new technologies**

Using a technique called propensity-score matching, the researchers identified groups of patients with similar risk factors undergoing THA by conventional methods or with the use of RA (2,003 patients in each group) or CN (2,664 patients in each group). Ninety-day rates of PJI were compared between groups, with adjustment for other factors.

Both technologies were associated with small increases in operative times, compared to conventional THA: two minutes longer with CN and 11 minutes longer with RA. Previous studies have raised concerns that longer surgical times might lead to increased risk of complications.

However, in the new study, the incidence of PJI was similar among groups: 0.4% for both CN and RA compared with rates of 0.2% and 0.4% for the respective propensity-matched conventional THA cohorts. In adjusted analyses, there were no significant differences in PJI risk.

"Although computer navigation and robotic assistance are currently used in a minority of THA procedures, the increase in the use of such technology appears to be inevitable in the coming decades," the researchers write. Their study adds new evidence that in matched groups of patients with similar characteristics, the risks of PJI are comparable, with or without the use of CN or RA.

The authors point out some limitations of the study—notably including the overall low rate of PJI at their specialized, high-volume orthopedic surgery center.

Dr. Carli and co-authors conclude, "While the long-term clinical, functional, and implant-longevity outcomes associated with the use of computer navigation or [robotic assistance](#) remain to be elucidated, the findings of the present study are reassuring with respect to the risk of infection."

**More information:** Scott M. LaValva et al, Robotics and Navigation Do Not Affect the Risk of Periprosthetic Joint Infection Following Primary Total Hip Arthroplasty, *Journal of Bone and Joint Surgery* (2024). [DOI: 10.2106/JBJS.23.00289](https://doi.org/10.2106/JBJS.23.00289)

Provided by Wolters Kluwer Health

Citation: Robotic-assisted surgery and navigation don't affect infection risk after hip arthroplasty: Study (2024, February 8) retrieved 29 April 2024 from

<https://medicalxpress.com/news/2024-02-robotic-surgery-dont-affect-infection.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.