

Artificial intelligence detects heart defects in newborns

March 13 2024, by Vanessa Bleich



Pediatric cardiologist Dr. Holger Michel during a cardiac ultrasound examination of 7-week-old Jarmo in the presence of his mother. Credit: Sven Wellmann / KUNO Klinik St. Hedwig in Regensburg

Many children announce their arrival in the delivery room with a piercing cry. As a newborn automatically takes its first breath, the lungs

inflate, the blood vessels in the lungs widen, and the whole circulatory system reconfigures itself to life outside the womb. This process doesn't always go to plan, however.

Some infants—particularly those who are very sick or born prematurely—suffer from [pulmonary hypertension](#), a serious disorder in which the arteries to the lungs remain narrowed after delivery or close up again in the first few days or weeks after birth. This constricts the flow of blood to the lungs, reducing the amount of oxygen in the blood.

Severe cases of pulmonary hypertension need to be detected and treated as rapidly as possible. The sooner treatment begins, the better the prognosis for the newborn infant. Yet making the correct diagnosis can be challenging. Only experienced pediatric cardiologists are able to diagnose pulmonary hypertension based on a comprehensive ultrasound examination of the heart.

"Detecting pulmonary hypertension is time-consuming and requires a cardiologist with highly specific expertise and many years of experience. Only the largest pediatric clinics tend to have those skills on hand," says Professor Sven Wellmann, Medical Director of the Department of Neonatology at KUNO Klinik St. Hedwig, part of the Hospital of the Order of St. John in Regensburg in Germany.

Researchers from the group led by Julia Vogt, who runs the Medical Data Science Group at ETH Zurich, recently teamed up with neonatologists at KUNO Klinik St. Hedwig to develop a computer model that provides reliable support in diagnosing the disease in newborn infants. Their results have now been [published](#) in the *International Journal of Computer Vision*.

Making AI reliable and explainable

The ETH researchers began by training their algorithm on hundreds of video recordings taken from ultrasound examinations of the hearts of 192 newborns. This dataset also included moving images of the beating heart taken from different angles as well as diagnoses by experienced pediatric cardiologists (is pulmonary hypertension present or not) and an evaluation of the disease's severity ("mild" or "moderate to severe").

To determine the algorithm's success at interpreting the images, the researchers subsequently added a second dataset of ultrasound images from 78 newborn infants, which the model had never seen before. The model suggested the correct diagnosis in around 80% to 90% of cases and was able to determine the correct level of disease severity in around 65% to 85% of cases.

"The key to using a [machine-learning model](#) in a medical context is not just the prediction accuracy, but also whether humans are able to understand the criteria the model uses to make decisions," Vogt says.

Her model makes this possible by highlighting the parts of the ultrasound image on which its categorization is based. This allows doctors to see exactly which areas or characteristics of the heart and its [blood vessels](#) the model considered to be suspicious. When the pediatric cardiologists examined the datasets, they discovered that the model looks at the same characteristics as they do, even though it was not explicitly programmed to do so.

A human makes the diagnosis

This machine-learning model could potentially be extended to other organs and diseases, for example to diagnose heart septal defects or valvular heart disease.

It could also be useful in regions where no specialists are available:

standardized ultrasound images could be taken by a health care professional, and the model could then provide a preliminary risk assessment and an indication of whether a specialist should be consulted. Medical facilities that do have access to highly qualified specialists could use the model to ease their workload and to help reach a better and more objective diagnosis.

"AI has the potential to make significant improvements to health care. The crucial issue for us is that the final decision should always be made by a human, by a doctor. AI should simply be providing support to ensure that the maximum number of people can receive the best possible medical care," Vogt says.

More information: Hanna Ragnarsdottir et al, Deep Learning Based Prediction of Pulmonary Hypertension in Newborns Using Echocardiograms, *International Journal of Computer Vision* (2024). [DOI: 10.1007/s11263-024-01996-x](https://doi.org/10.1007/s11263-024-01996-x)

Provided by ETH Zurich

Citation: Artificial intelligence detects heart defects in newborns (2024, March 13) retrieved 29 April 2024 from <https://medicalxpress.com/news/2024-03-artificial-intelligence-heart-defects-newborns.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.