


Why some types of music make people want to dance more than others

March 27 2024, by Bob Yirka



Twelve 8-s melodies with a 2-Hz beat were created. For each melody, three variants were designed to vary the level of rhythmic predictability (degree of syncopation) while minimizing other acoustic variations. (A) Example of a melody with a low (black), medium (gray), or high (light gray) degree of syncopation. (B) Averaged modulation spectrum of the acoustic temporal envelope of the melodies, for each of the three conditions. a.u., arbitrary units. (C) Degree of syncopation of the melodies, grouped by condition. Each dot represents one melody. (D) Amplitude of the acoustic envelope at 2 Hz (in decibels; “2-Hz acoustic”), as a function of the degree of syncopation, across melodies. Data were approximated with a linear function. Pearson’s r^2 is reported. Shades of gray indicate the conditions. (E) Behavioral tapping experiment: distribution of the instantaneous frequency of finger tapping per

condition, cumulated across melodies and participants, recorded while participants were reproducing the rhythm of their dance step while listening to the melodies. (F) MEG experiment: Statistical map of neural coding of the acoustic temporal modulation spectrum, from the power spectrum of the whole-brain MEG signals recorded while participants were listening to melodies (q Science Advances (2024). DOI: 10.1126/sciadv.adi2525

A trio of neuroscientists at Aix Marseille Université in France, working with a psychologist colleague from the University of Connecticut in the U.S., has discovered what they believe to be the mechanism in the brain that controls the desire to dance prompted by music. In their study, [published](#) in *Science Advances*, the group conducted three separate types of studies to explore the brain's reaction to music and a subsequent desire to dance.

To better understand the brain's response to [music](#), the research team focused on both syncopation and the beat—syncopation comprises unaccented beats that occur in surprising places in a [melody](#). The beat is the pace at which music is played, divided into even units of time.

The researchers recruited 60 adult volunteers who listened to 12 melodies with different degrees of syncopation and asked them to rate each based on their desire to get up and [dance](#). They found that melodies with a medium degree of syncopation caused the strongest desire to dance.

The researchers then recruited 29 adults who wore helmets that allowed for magnetoencephalography while they listened to different kinds of music. The researchers found that the [auditory cortex](#) primarily focused

on rhythm, while the dorsal auditory pathway appeared to match the rhythm to the beat. This, the researchers suggest, indicates that the music-prompted desire to dance likely happens within that pathway, from which it is then passed on to motor areas that act on the impulse.

Next, the researchers modeled their findings using quadratic relationships, finding that when hearing medium levels of syncopation, the brain is at a point where it can still pull the periodic beats from the melody—at higher levels, it would become overwhelmed.

The researchers suggest their work cumulatively shows that the sudden desire to dance prompted by music with a medium amount of syncopation is the brain's attempt to anticipate beats among the syncopation—it causes the body to literally lean forward repeatedly.

More information: Arnaud Zalta et al, Neural dynamics of predictive timing and motor engagement in music listening, *Science Advances* (2024). [DOI: 10.1126/sciadv.adi2525](https://doi.org/10.1126/sciadv.adi2525)

© 2024 Science X Network

Citation: Why some types of music make people want to dance more than others (2024, March 27) retrieved 27 April 2024 from <https://medicalxpress.com/news/2024-03-music-people.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--