

Scientists train a bank of AI models to identify patterns of brain activity that signal memory formation

March 5 2024



Unbiased community-based proposals of ML models for SWR detection. **a** Organization of the hackathon. A preparatory phase (Prep) established the basic grounds of the challenge in terms of minimal knowledge about SWRs, Python



programming, and Machine Learning (ML) models. It also looked to standardize scripts and data management. The second phase consisted of the hackathon, which lasted over 53 h during three days, with participants having access to the annotated training dataset and some Python scripts. During the last evaluation phase, a new validation set was released to participants 3 h before the end of the hackathon. Solutions were ranked using the F1-score (see methods). **b** Example of the training data consisting of 8 channels of raw LFP (black) sampled at 30 kHz, with the manually tagged ground truth (GT), corresponding to SWR events. c Results from the hackathon. Solutions were ranked by the F1 score. F1 represents the harmonic mean between Precision (percentage of good detections) and Recall (percentage of detected GT events). Deep Neural Networks (DNN), Convolutional Neural Networks (CNN), Recurrent Neural Networks (RNN) with/without Long-Short Term Memory (LSTM); Random Forest decision trees (Rand Forest), Extreme Gradient Boosting (XGBoost), Support Vector Machines (SVM), k-Nearest Neighbors (kNN). Chosen solutions are marked with arrowheads. Darker arrows point to the group that got the highest score of each particular architecture; light arrows point to repeated architectures. d Schematic representation of the SWR detection strategy and the 5 ML models used in this work. Credit: Communications Biology (2024). DOI: 10.1038/s42003-024-05871-w

The study of brain oscillations has advanced our understanding of brain function. Ripples are a type of fast oscillation underlying the organization of memories. They are affected in neurological disorders such as epilepsy and Alzheimer's. For this reason, they are considered an electroencephalographic (EEG) biomarker. However, ripples exhibit various waveforms and properties that can be missed by standard spectral methods.

Recently, the neuroscience community called for the need to better automate, harmonize, and improve the detection of ripples across a range of tasks and species. In the study, the authors used recordings obtained in <u>laboratory mice</u> to train a toolbox of machine learning



models.

"We have tested the ability of these models using data from <u>non-human</u> primates that were collected at Vanderbilt University (Nashville, U.S.) by Saman Abbaspoor and lab leader Kari Hoffman as part of the Brain Initiative. We found that it is possible to use rodent EEG data to train AI algorithms that can be applied to data from primates and possibly humans, provided the same type of recording techniques are used," explains De la Prida, who is part of the CSIC's AI-HUB connection aimed at advancing the use of AI and its applications.

The model toolbox emerged as a result of a hackathon, which resulted in a short list for the best detection models. These architectures were then harmonized and optimized by the authors, who now provide all codes and data openly to the <u>research community</u>. Models include some of the best-known supervised learning architectures, such as support vector machines, decision trees, and convolutional neural networks.

"We have identified more than one hundred possible models from the different architectures that are now available for application or retraining by other researchers," say Andrea Navas Olivé and Adrián Rubio, who are the first authors of the work.

"This bank of AI models will provide new applications in the field of neurotechnologies and can be useful for detection and analysis of highfrequency oscillations in pathologies such as epilepsy, where they are considered clinical markers," concludes De la Prida.

The paper is **<u>published</u>** in the journal *Communications Biology*.

More information: Andrea Navas-Olive et al, A machine learning toolbox for the analysis of sharp-wave ripples reveals common waveform features across species, *Communications Biology* (2024). <u>DOI:</u>



10.1038/s42003-024-05871-w

Provided by Spanish National Research Council

Citation: Scientists train a bank of AI models to identify patterns of brain activity that signal memory formation (2024, March 5) retrieved 9 May 2024 from https://medicalxpress.com/news/2024-03-scientists-bank-ai-patterns-brain.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.