

## Scientists close in on TB blood test that could detect millions of silent spreaders

March 22 2024



Credit: Karolina Grabowska from Pexels

Scientists have taken a major step towards developing a blood test that could identify millions of people who unknowingly spread tuberculosis.



Their study has discovered a group of biological markers that are found at high levels among infectious patients. The researchers hope the findings will pave the way for a simple test that can diagnose and stop the spread of the estimated 10 million cases annually.

Tuberculosis, or TB, is the world's deadliest infectious disease and kills more than one million people each year, according to World Health Organization data.

Scientists from the University of Southampton, working with experts worldwide, carried out the most detailed analysis ever undertaken of blood markers for the <u>bacterial infection</u>.

The study, <u>published</u> in *JCI Insight*, used a novel technique that identified a set of six proteins that are highly accurate in pinpointing TB.

Lead author Dr. Hannah Schiff, a respiratory expert at Southampton, said as many as three million cases were missed last year, mostly in developing countries.

She added, "TB remains a global catastrophe because our efforts to control the spread are hindered by inadequate testing, which is slow and reliant on specialist equipment and labs.

"A third of people who get infected go undiagnosed and remain infectious. In our study, we combined a new measurement technique with deep mathematical analysis to identify these six new markers of TB disease.

"It could lead to a transformative alternative to diagnosing the condition—a simple test that detects proteins in the bloodstream whose levels differ between people with TB, healthy individuals, and those suffering from other respiratory illnesses."



TB spreads through inhaling tiny droplets from coughs or sneezes of infected people—and, while it mostly affects the lungs, it can devastate any part of the body.

Cases in the UK increased to around 5,000 last year and are expected to continue rising in 2024, according to the UK Health Security Agency.

The University of Southampton study was undertaken with experts from the University of Cape Town in South Africa and Cayetano Heredia University in Lima, Peru.

Academics leading the investigation studied proteins found in the blood of people with active TB in Africa and South America. They compared the biomarkers to those found in healthy people and patients with lung infections, identifying 118 proteins that differed significantly between the groups.

The <u>experts</u> then narrowed these down to the six proteins that, they said, can be used to distinguish contagious patients with TB from people in good health or with lung conditions.

The findings are a roadmap to developing a TB test that is as simple as the lateral flows used during COVID, said study co-director Dr. Diana Garay-Baquero, also from Southampton.

She added, "The new markers we discovered are truly exciting, but the important work now is to develop these into tests that can be used for the millions of people who are transmitting TB without knowing it.

"As the COVID-19 pandemic confirmed, we ignore highly infectious airborne diseases at our peril."



**More information:** Hannah F. Schiff et al, Integrated plasma proteomics identifies tuberculosis-specific diagnostic biomarkers, *JCI Insight* (2024). DOI: 10.1172/jci.insight.173273. insight.jci.org/articles/view/173273/sd/1

## Provided by University of Southampton

Citation: Scientists close in on TB blood test that could detect millions of silent spreaders (2024, March 22) retrieved 12 May 2024 from <u>https://medicalxpress.com/news/2024-03-scientists-tb-blood-millions-silent.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.