

Study suggests statins could help fight gum disease

March 25 2024



Credit: Pixabay/CC0 Public Domain

Could taking statins benefit your mouth in addition to your arteries? A new study conducted in cell cultures has shown that cholesterol-lowering drugs help to dampen the inflammation associated with periodontal



disease by altering the behavior of macrophages, a type of immune cell.

Statins are the most common type of prescription medication in the United States today, taken by over 40 million Americans to lower cholesterol. The study suggests these drugs improve gum health and reduce the risk of heart disease.

Subramanya Pandruvada, an assistant professor in the College of Dental Medicine at the Medical University of South Carolina, oversaw the work.

"During our study, we replicated specific conditions in periodontal disease and demonstrated that introducing statins to our in vitro model modifies macrophage response," Pandruvada said. "This allowed us to explore how medication like statins can help us treat inflammatory conditions such as periodontal disease."

Pandruvada will present the new research at <u>Discover BMB</u>, the annual meeting of the American Society for Biochemistry and Molecular Biology, which is being held March 23–26 in San Antonio. The study's lead authors are Waleed Alkakhan, a graduate dental resident in periodontology, and Nico Farrar, a dental student at the Medical University of South Carolina.

Periodontal disease occurs when the growth of bacteria in the gums causes the immune system to mount an inflammatory response, contributing to symptoms such as swelling, bleeding and bone degradation. Untreated, it can lead to tooth loss. Nearly half of adults over age 30 have some form of periodontal disease, according to the U.S. Centers for Disease Control and Prevention.

Current treatments for advanced periodontal disease include antibiotics, deep cleanings of tooth and root surfaces, and various surgical



procedures. Researchers have sought new ways to calm gum disease through less invasive treatment strategies.

Some previous studies have shown that people taking statins tend to show fewer signs of periodontitis than people who do not take statins. The new study is the first to trace the biochemical pathways through which statins appear to reduce periodontal inflammation.

"Recent periodontal literature has shown the beneficial effects of statins when used with traditional periodontal therapy," Pandruvada said. "However, our study highlights a novel approach in which statins affect macrophages specifically, which--through this mechanism--can help treat periodontal disease."

Macrophages play an important role in helping the body fight infections; however, they can also worsen inflammation depending on the form they take at different phases of the immune response. The researchers grew macrophages and gum cells together for the study and exposed them to various conditions. They found that exposure to simvastatin, a common statin drug, suppressed the macrophage inflammatory response.

As a next step, the researchers plan to study the impacts of <u>statins</u> on <u>periodontal disease</u> in animal models, a step toward determining whether this strategy might be a safe and effective approach for future periodontal therapies.

The new findings build upon the group's initial results, which were <u>published</u> last year in the journal *Cells*.

Provided by American Society for Biochemistry and Molecular Biology



Citation: Study suggests statins could help fight gum disease (2024, March 25) retrieved 28 April 2024 from https://medicalxpress.com/news/2024-03-statins-gum-disease.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.