

Statistical model to predict likelihood of premature menopause in childhood cancer survivors

March 19 2024, by Will Gibson



Biostatistician Yan Yuan led a research team that developed an age-specific risk predictor for premature menopause among girls and women who survived cancer in childhood. Credit: School of Public Health

Researchers have developed a statistical model that predicts the likelihood of female childhood cancer survivors developing premature

menopause as they grow up, which could help doctors personalize treatment and counseling options for patients.

"We aimed to develop and validate models to predict age-specific risk among long-term survivors of childhood cancer, and our model showed robust prediction performance," says Yan Yuan, a professor in the University of Alberta's School of Public Health who led the research team that developed the tool, including an [online calculator](#) to help patients assess their risk.

Primary ovarian insufficiency, also known as [premature menopause](#), is the term used to describe when a woman's ovaries stop working normally before the age of 40. Yuan and her co-authors note that 7% of [childhood cancer survivors](#) develop the condition within five years of their cancer diagnosis, and it is estimated that another 12% develop it more than five years after diagnosis, compared with just 1% to 2% of the general population.

The study involved a group of cancer patients under the age of 21 treated at more than 30 hospitals across North America between 1970 and 1999. Female survivors aged 18 years or older at their latest follow-up examination, with self-reported menstrual history information and free of subsequent malignant neoplasms within five years of diagnosis, were included in the study.

"We found a very strong signal in the life-saving treatments used by oncologists," says Yuan. "Different treatments, such as radiation or various chemotherapy drugs, can have very different effects. We evaluated 20 chemotherapy drugs, and some cause more damage to the ovary than others. The dosage and age of the patient are also important factors.

"This is important because it helps inform clinicians of treatment options

as well as counseling prior to and after treatment."

The [study](#), published in *The Lancet Oncology*, is the culmination of more than seven years of research and is the second of two papers published on the work. The [previous paper](#), published in 2020, described a [predictive model](#) for acute ovarian failure, a subtype of [primary ovarian insufficiency](#) that some patients develop within five years of their diagnosis.

For Yuan, it also helps validate the power of biostatistics in public health, which applies mathematical or statistical modeling to help improve patient care.

"Risk prediction is an evolving process, but there is real value in using statistical models or algorithms to predict health outcomes if you collaborate with clinicians and patients to understand the context and learn the nuances of the data, in order to build a robust and trustworthy model that benefits patients," she says.

"It's very rewarding in terms of scientific discovery. I remember sharing the results with our clinical collaborators, and they didn't really realize their bias toward certain treatments and the risk factors they carry for children. It made me feel like our research is making a difference, and that's what you want to do."

Yuan's co-authors on the study include Cindy Im, a U of A doctoral graduate who is now a professor at the University of Minnesota. "We also had students working on this research—Zhe Lu, Lin Yu and Yutong Han—who contributed enormously to this work," says Yuan.

More information: Cindy Im et al, Development and validation of age-

specific risk prediction models for primary ovarian insufficiency in long-term survivors of childhood cancer: a report from the Childhood Cancer Survivor Study and St Jude Lifetime Cohort, *The Lancet Oncology* (2023). [DOI: 10.1016/S1470-2045\(23\)00510-7](https://doi.org/10.1016/S1470-2045(23)00510-7)

Provided by University of Alberta

Citation: Statistical model to predict likelihood of premature menopause in childhood cancer survivors (2024, March 19) retrieved 29 April 2024 from <https://medicalxpress.com/news/2024-03-statistical-likelihood-premature-menopause-childhood.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.