

Study finds worsening metabolic syndrome increases the risk of developing cancer

March 11 2024



Credit: Pavel Danilyuk from Pexels

New research indicates that individuals with persistent and worsening metabolic syndrome—which encompasses conditions such as high blood pressure, elevated blood sugar, excess abdominal fat, and abnormal

cholesterol—face an elevated risk of developing various types of cancer. The findings are published in a paper titled "[The association of metabolic syndrome scores trajectory patterns with risk of all cancer types](#)" in *Cancer*.

In the study, 44,115 adults in China with an average age of 49 years were categorized into four different trajectories based on trends from 2006 (the time of the first physical exam) to 2010: 10.56% exhibited a low-stable pattern and maintained low [metabolic syndrome](#) scores; 40.84% exhibited a moderate-low pattern and maintained moderate to low metabolic syndrome scores; 41.46% exhibited a moderate-high pattern and consistently maintained moderate to high metabolic syndrome scores; and 7.14% exhibited an elevated-increasing pattern in which initially elevated metabolic syndrome scores increased over time.

During the follow-up period of 2010–2021, with a median follow-up of 9.4 years, there were 2,271 cancer diagnoses among participants. Compared with participants with a low-stable trajectory pattern, those with an elevated-increasing trajectory pattern had 1.3-, 2.1-, 3.3-, 4.5-, 2.5-, and 1.6-times higher risks of developing any cancer, [breast cancer](#), [endometrial cancer](#), kidney cancer, colorectal cancer, and liver cancer, respectively.

Even when the low-stable, moderate-low, and moderate-high trajectory pattern groups were combined, the elevated-increasing trajectory pattern group had higher risks of developing all cancer types.

Also, participants with persistently high metabolic syndrome scores and concurrent chronic inflammation had the highest risks of developing breast, endometrial, colon, and liver cancer, whereas the risk of [kidney cancer](#) was predominantly observed among participants with persistently high scores but without chronic inflammation.

"This research suggests that proactive and continuous management of metabolic syndrome may serve as an essential strategy in preventing cancer," said senior author Han-Ping Shi, MD, Ph.D., of Capital Medical University, in Beijing.

"Our study can guide future research into the biological mechanisms linking metabolic syndrome to cancer, potentially resulting in targeted treatments or preventive strategies. Formal evaluation of these interventions will be needed to determine if they are able to modulate cancer risk."

More information: The association of metabolic syndrome scores trajectory patterns with risk of all cancer types, *Cancer* (2024). DOI: [10.1002/cncr.35235](https://doi.org/10.1002/cncr.35235) , doi.wiley.com/10.1002/cncr.35235

Provided by Wiley

Citation: Study finds worsening metabolic syndrome increases the risk of developing cancer (2024, March 11) retrieved 28 April 2024 from <https://medicalxpress.com/news/2024-03-worsening-metabolic-syndrome-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.