

# Researchers find more action is needed to prevent arthritis after knee reconstruction surgery

April 8 2024, by Marco Schimizzi

---



Credit: CC0 Public Domain

The prevalence of early knee osteoarthritis (OA) symptoms faced by patients after anterior cruciate ligament (ACL) reconstruction is staggering—but not much is being done to address it, according to [new research](#) published by scholars from Michigan State University's Department of Kinesiology.

The study, published by the *Journal of Athletic Training*, shows these symptoms persist throughout the first year following surgery and need to be addressed with [early intervention](#).

"We're trying to change the narrative," said Assistant Professor Matthew Harkey, who co-authored the study. "We see fairly young, [active individuals](#) experiencing extensive symptoms, but these symptoms are not interpreted by clinicians as something that may be related to osteoarthritis. Ignoring these symptoms might be setting them up to experience long term decline and function."

ACL reconstruction is an arthroscopic surgical procedure that replaces torn [anterior cruciate ligament](#) in the knee with a graft. According to the National Institutes of Health, approximately 400,000 procedures are completed each year in the United States.

A [2017 study](#) showed that approximately 14 million individuals in the United States alone suffer from symptomatic early knee OA.

The research team examined a data set of 82 individuals who underwent ACL reconstruction, each of whom completed a survey regarding their knee pain and symptoms following surgery. The results showed that nearly one in four participants reported persistent early arthritis symptoms from 6 to 12 months after knee surgery.

In April 2024, Harkey will head to Austria and present similar research at the [Osteoarthritis Research Society International Conference](#). This time, he used data from 3,200 individuals supplied by the New Zealand ACL Registry and found that close to one-in-three had early knee OA symptoms up to 24 months after ACL reconstruction.

## **The importance of intervention**

Not addressing these symptoms in a timely manner places patients at risk for long-term structural decline, says Harkey. Although the study doesn't show that patients experiencing symptoms will develop early OA, it heightens athletic trainers' awareness of the possibility of symptoms, which could be addressed with intervention.

"It's a bit complex—we can't outright say arthritis is developing, but there's a large group of patients whose symptoms linger long after surgery," Harkey pointed out. "Often, clinicians assume that these post-operative symptoms will naturally improve as patients reengage with their usual activities. However, what we're seeing suggests these symptoms persist and likely require a targeted approach to manage or improve them."

According to Harkey, intervention could include exercise or physical therapy to help maintain strength and movement. He added that the health care infrastructure remains a barrier for patients, who often are limited to a low number of [physical therapy](#) visits through their health care plans.

The co-authors of the study with MSU affiliations include Ashley Triplett, assistant professor in the College of Education; Sheeba Joseph, associate professor, Colleges of Human and Osteopathic Medicine; Francesca Genoese, doctoral student in the Department of Kinesiology; Michael Shingles and Andrew Schorfhaar of Sparrow Hospital, alums of

the College of Osteopathic Medicine.

Moving forward, Harkey aims to demonstrate how early [knee](#) OA after ACL reconstruction may lead to structural joint damage over time.

**More information:** Matthew S. Harkey et al, Persistent Early Knee Osteoarthritis Symptoms in the First Two Years After ACL Reconstruction, *Journal of Athletic Training* (2024). [DOI: 10.4085/1062-6050-0470.23](#)

Provided by Michigan State University

Citation: Researchers find more action is needed to prevent arthritis after knee reconstruction surgery (2024, April 8) retrieved 2 May 2024 from <https://medicalxpress.com/news/2024-04-action-arthritis-knee-reconstruction-surgery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.