

## Autism spectrum disorder: Pathogenesis, biomarker, and intervention therapy

## April 15 2024



Potential influences of autism spectrum disorder (ASD). ASD is a heterogenous group of neurodevelopmental disorders characterized by social communication impairments, repetitive behaviors, restricted range of interest, and other clinical considerations. ASD is a multifactorial disease that involves the interactions of genetic and environmental factors. The genetic factors include genetics (single gene disorder, copy number variations and single-nucleotide polymorphism), epigenetic (DNA methylation, chromatin modification and noncoding RNA),



and sex differences factors (female protective effect and sex chromosome gene dose sex hormone levels). In contrast, the environmental factors comprise prenatal exposure (microbiota–gut–brain axis, environmental toxin, immune dysfunction, medications, and diet) and postnatal exposure (lifestyle and impairment/dysfunction). These factors lead to abnormal neuron development, changes in the structure and function of the brain, resulting in ASD. Credit: *MedComm* (2024). DOI: 10.1002/mco2.497

Autism spectrum disorder (ASD) is a group of neurodevelopmental disorders characterized by early abnormal social communication and restricted repetitive behaviors and interests. The prevalence of ASD continues to rise and has attracted widespread social attention.

Heterogeneity in etiology, phenotype, and prognosis are important features of ASD, and genetic heterogeneity serves as the most critical factor in heterogeneity. Currently, more than 100 ASD risk genes have been identified.

However, no single gene or mutation can cause more than 1% of cases. The existence of heterogeneity poses a challenge to basic research and clinical translation of ASD. Recently, Prof. Liming Shen from the College of Life Science and Oceanography, Shenzhen University, and his team members reviewed the heterogeneity, pathogenesis, biomarker, and intervention methods of ASD.

They focused on the convergent mechanisms of ASD, including the common mechanisms between ASD and its co-morbidities. Studies on ASD risk genes and multi-omics reveal that synaptic dysfunction plays a key role in the development of ASD.

The mechanisms associated with important physiological and metabolic abnormalities, such as inflammation, immunity, <u>oxidative stress</u>, and



mitochondrial dysfunction, as well as gut microbial disorders in ASD, are also of interest and deserve attention, at least appearing in some subgroups. The study of ASD from different genetic backgrounds can help to find common mechanisms between them.

Timely diagnosis plays a crucial role in facilitating <u>early intervention</u> and prognostic outcomes. Although specific diagnostic markers for ASD have not yet been obtained, studies including high-throughput omics have shown convergence of mechanisms associated with them, usually focusing on a few categories. Therefore, there remains optimism regarding the identification of specific diagnostic biomarkers.

The goal of ASD treatment is to improve the individual's functioning and well-being. This review focuses on approaches that are evidencebased and have <u>positive outcomes</u>, including behavioral intervention, educational intervention, interventions derived from technical devices, as well as medical intervention.

Currently, there is still a lack of drugs to treat the core symptoms of ASD. The authors provide an overview of existing pharmacologic therapies for ASD as well as those that target its common pathophysiology and gut microbiota.

The research is **<u>published</u>** in the journal *MedComm*.

**More information:** Hongbin Zhuang et al, Autism spectrum disorder: pathogenesis, biomarker, and intervention therapy, *MedComm* (2024). DOI: 10.1002/mco2.497



## Provided by Sichuan International Medical Exchange and Promotion Association

Citation: Autism spectrum disorder: Pathogenesis, biomarker, and intervention therapy (2024, April 15) retrieved 20 May 2024 from <u>https://medicalxpress.com/news/2024-04-autism-spectrum-disorder-pathogenesis-biomarker.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.