

## Deeper dive into the gut microbiome shows changes linked to body weight

April 19 2024



Credit: Unsplash/CC0 Public Domain

Cedars-Sinai investigators have identified significant variations in the microbes of the small bowel (small intestine) are strongly associated with various body weights, from a normal body mass index, or BMI, to having



obesity.

The <u>gut microbiome</u> includes the bacteria, fungi, and viruses that inhabit the human gastrointestinal tract. Imbalances in these <u>microbial</u> <u>populations</u> have previously been observed in the stool samples of patients with <u>obesity</u>-related diseases. This is the first study to fully examine the small bowel microbiome in normal weight, overweight and obesity, according to investigators.

"Using specialized techniques, we did a deeper dive into the microbial universe and found the small bowel was significantly, and specifically, altered in participants who were overweight or had obesity, when compared to those of normal weight.

"Some of these changes were progressive, moving from normal weight to overweight to having obesity," said endocrinologist Ruchi Mathur, MD, a professor of Medicine at Cedars-Sinai and corresponding author of the study <u>published</u> in the *American Journal of Gastroenterology*.

"Many functions related to food metabolism and nutrient absorption converge in the small bowel, as do many endocrine and immune functions that may influence <u>weight gain</u>. We think that changes in the balances of small bowel microbial populations may have a greater impact on weight gain and the development of obesity than previously understood," said Mathur, also the director of the Diabetes Outpatient Teaching Education Center.

Using specimens obtained from esophagogastroduodenoscopies, <u>blood</u> <u>samples</u> and patient questionnaires, investigators examined the small bowel microbiomes of 214 patients stratified by body mass index. Study participants were classified according to the Centers for Disease Control and Prevention (CDC) guidelines of a <u>normal weight</u> having a BMI of 18.5–24.9, <u>overweight individuals</u> a BMI of 25–29.9, and for those



classified as having obesity, with a BMI of 30 or higher.

The microbial populations of the duodenum, the first part of the small bowel where nutrition absorption begins, were analyzed in all three groups. Shotgun <u>metagenomic sequencing</u> was used to obtain a comprehensive evaluation of all the organisms present.

"A key finding was that one bacterial population, Lactobacillus, in the duodenum exhibited differing and highly species-specific associations in subjects classified as overweight or having obesity. These microbiome changes related to weight gain may be of particular importance because many people regularly consume Lactobacillus-containing products, including dairy-based foods, probiotics and certain vegan cuisine such as fermented tempeh," said Gabriela Leite, Ph.D., the lead author of the study and lead project scientist for Cedars-Sinai's Medically Associated Science and Technology (MAST) Program.

An estimated 182 million adults in the U.S. are overweight or have obesity, according to the CDC. The global number exceeds 1 billion. The causes are multifactorial and associated with serious health problems, including cardiovascular disease, metabolic syndrome and type 2 diabetes. Genetics, epigenetics, gut hormones and gut microbiomes are involved in the pathophysiology of obesity, which can also be influenced by socioeconomic and psychosocial factors.

Investigators believe understanding the influences and activity of the microbes that populate our small bowel microbiome may offer an important path to improving the health and lives of millions of people.

"Identifying changes in the populations, and activity, of small bowel microbial species associated with overweight or having obesity is part of a key initiative to develop new therapeutic targets and to personalize medicine," said gastroenterologist and study co-author Mark Pimentel,



MD, executive director of Cedars-Sinai's MAST Program.

"More research will be needed to identify the cause-and-effect relationships between the changes we observed, but the goal is to develop treatments and interventions that help people lower their risk for obesity-related disease and improve their overall health," Pimentel said.

**More information:** Gabriela Leite et al, Characterization of the Small Bowel Microbiome Reveals Different Profiles in Human Subjects who are Overweight or have Obesity, *American Journal of Gastroenterology* (2024). DOI: 10.14309/ajg.00000000002790

Provided by Cedars-Sinai Medical Center

Citation: Deeper dive into the gut microbiome shows changes linked to body weight (2024, April 19) retrieved 20 May 2024 from https://medicalxpress.com/news/2024-04-deeper-gut-microbiome-linked-body.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.