

## Study shows metabolic health before vaccination determines effectiveness of antiflu response

April 18 2024



Credit: Unsplash/CC0 Public Domain



Metabolic health (normal blood pressure, blood sugar and cholesterol levels, among other factors) influences the effectiveness of influenza vaccinations. Vaccination is known to be less effective in people with obesity compared to those with a healthier body mass index (BMI), but St. Jude Children's Research Hospital scientists have found it is not obesity itself, but instead metabolic dysfunction, which makes the difference.

In a study published today in *Nature Microbiology*, the researchers found switching obese mice to a healthy diet before <u>flu vaccination</u>, but not after, completely protected the models from a lethal dose of flu, despite BMI.

"We found that the vaccines worked effectively if at the time of vaccination an animal is metabolically healthy," said corresponding author Stacey Schultz-Cherry, Ph.D., St. Jude Department of Host-Microbe Interactions and Center of Excellence for Influenza Research and Response co-director. "And the opposite was also true: Regardless of what the mice looked like on the outside, if they had <u>metabolic</u> <u>dysfunction</u>, the vaccines did not work as well."

Prior research has shown that when exposed to <u>influenza virus</u>, even after vaccination, 100% of <u>obese mice</u> succumbed to disease. Contrary to the scientists' original expectations, when mice who were vaccinated while obese returned to a healthy weight, outcomes did not improve. These now outwardly healthy mice still all succumbed to disease when exposed to the real virus. Only switching to a healthy diet four weeks before vaccination improved survival, with drastic effect, despite high BMI.

"We were excited to see this effect because mice with obesity are so susceptible to severe disease and succumbing to the infection," Schultz-Cherry said. "Getting 100% survival with the vaccine where we had only



seen 0% survival was impressive." The improved survival suggests the researchers have discovered a greater underlying principle determining influenza vaccine efficacy.

## Metabolic dysfunction hinders the immune system

While studying how metabolic function influences influenza vaccine responses, the scientists found that poor <u>metabolic health</u> causes <u>immune</u> <u>system</u> dysfunction. T cells, the primary immune cells involved in antiviral responses, failed to act in animals that had been in an unhealthy metabolic state at the time of vaccination, even during later viral exposure. Even when the animals ate a healthy diet after vaccination and maintained a normal BMI, the anti-flu T cells were "frozen" in that dysfunctional state.

However, a healthy diet before vaccination improved T-cell function, which resulted in a robust anti-flu response during later exposure.

"The T cells were better able to do their job in the metabolically healthy mice at the time of vaccination," Schultz-Cherry said. "It wasn't a matter of the numbers of them or the types of them. It was their functional activity. There were plenty of them in the lungs, not working. The healthy diet switched them from not working to functioning properly, but only if the switch occurred before vaccination."

The earlier healthy diet also improved inflammation. Pro-inflammatory cytokines are upregulated in obese animals. Schultz-Cherry's team found that models also returned to a lower basal cytokine level when switched to a healthy diet before vaccination.

"A <u>healthy diet</u> lowered some of the systemic meta-inflammation in these animals, and they regained some of the epithelial innate immune responses," said Schultz-Cherry. "We started seeing better signaling of



things like interferons, which we know is problematic in obesity and in general saw the immune system starting to function the way that it should."

## Improving metabolic health may improve influenza vaccine effectiveness

"What we found and are emphasizing is that it's not the phenotype of obesity that matters; it's really about metabolic health," Schultz-Cherry said. "It's metabolic health at that moment of vaccination that really makes a difference."

The study was restricted to mice, but it does open research opportunities to improve influenza vaccine efficacy in humans. The findings suggest methods of improving metabolic health may also improve subsequent influenza vaccinations. Given the recent introduction of metabolic improvement drugs, especially glucagon-like peptide 1 (GLP-1) agonists, there may be potential for a cooperative effect.

"We don't know for sure, but if the outcome of using GLP-1 drugs is <u>weight loss</u> and improved metabolic health, we would hypothesize that it will help," Schultz-Cherry said. "But we do know that we can do better protecting our vulnerable populations, and this study is a start for understanding how."

**More information:** Rebekah Honce et al, Diet switch pre-vaccination improves immune response and metabolic status in formerly obese mice, *Nature Microbiology* (2024). DOI: 10.1038/s41564-024-01677-y



## Provided by St. Jude Children's Research Hospital

Citation: Study shows metabolic health before vaccination determines effectiveness of anti-flu response (2024, April 18) retrieved 15 May 2024 from https://medicalxpress.com/news/2024-04-metabolic-health-vaccination-effectiveness-anti.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.