

Ultrasound therapy shows promise as a treatment for Alzheimer's disease

April 2 2024



Graphical representation of the findings of this study: Improved memory, enhanced functional connectivity and an altered proteome were found in APP23 mice in the absence of A β reduction after repeated treatments with scanning ultrasound without microbubbles (SUS^{only}) at 1 MHz (HighF) and, to a lesser extent, at 286 kHz (LowF). Credit: *Molecular Psychiatry* (2024). DOI: 10.1038/s41380-024-02509-5

University of Queensland researchers have found targeting amyloid plaque in the brain is not essential for ultrasound to deliver cognitive improvement in neurodegenerative disorders.

Dr. Gerhard Leinenga and Professor Jürgen Götz from UQ's Queensland



Brain Institute (QBI) said the finding challenges the conventional notion in Alzheimer's disease research that targeting and clearing amyloid plaque is essential to improve cognition.

"Amyloid plaques are clumps of protein that can build up in the brain and block communication between <u>brain cells</u>, leading to <u>memory loss</u> and other symptoms of Alzheimer's disease," Dr. Leinenga said.

"Previous studies have focused on opening the <u>blood-brain barrier</u> with microbubbles, which activate the cell type in the brain called microglia which clears the <u>amyloid plaque</u>.

"But we used scanning ultrasound alone on mouse models and observed significant memory enhancement."

Dr. Leinenga said the finding shows that ultrasound without microbubbles can induce long-lasting cognitive changes in the brain, correlating with memory improvement. The <u>research paper</u> has been published in *Molecular Psychiatry*.

"Ultrasound on its own has direct effects on the neurons, with increased plasticity and improved brain networks," he said.

"We think the ultrasound is increasing the plasticity or the resilience of the brain to the plaques, even though it's not specifically clearing them."

Professor Götz said the study also revealed the effectiveness of ultrasound therapy varied depending on the frequency used.

"We tested two types of ultrasound waves, emitted at two different frequencies," he said. "We found the higher frequency showed superior results, compared to frequencies currently being explored in <u>clinical</u> <u>trials</u> for Alzheimer's disease patients."



The researchers hope to incorporate the findings into Professor Götz's pioneering safety trial using non-invasive ultrasound to treat Alzheimer's disease.

"By understanding the mechanisms underlying <u>ultrasound</u> therapy, we can tailor treatment strategies to maximize cognitive improvement in patients," Dr. Leinenga said.

"This approach represents a significant step toward personalized, effective therapies for neurodegenerative disorders."

More information: Gerhard Leinenga et al, Scanning ultrasoundmediated memory and functional improvements do not require amyloid- β reduction, *Molecular Psychiatry* (2024). DOI: <u>10.1038/s41380-024-02509-5</u>

Provided by University of Queensland

Citation: Ultrasound therapy shows promise as a treatment for Alzheimer's disease (2024, April 2) retrieved 16 May 2024 from <u>https://medicalxpress.com/news/2024-04-ultrasound-therapy-treatment-alzheimer-disease.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.