

High school student helps transform 'crazy idea' into a model that can predict neurotransmitters

May 9 2024



3D electron microscope volumes showing the synaptic sites where neurotransmitters are released. Credit: Jan Funke / HHMI Janelia Research Campus

Like many good ideas in science, it started with a walk in the woods. During a stroll through the Berlin Botanic Garden in 2019, HHMI Janelia Research Campus Group Leader Jan Funke and some of his scientific colleagues started chatting about a familiar topic: How to get more information out of insect connectomes.

These wiring diagrams give researchers unprecedented information about <u>brain cells</u> and how they connect to each other, but they don't tell



scientists how the signal from one neuron affects the other neurons in its network.

The group wondered if they might be able to use information from previous experiments identifying the neurotransmitters released from some neurons to predict the neurotransmitters released from others in the connectome. Neurons use neurotransmitters to communicate with each other, with different chemicals responsible for different signals.

The <u>human eye</u> can't tell the difference between the synapses on neurons where different neurotransmitters are released, but perhaps a <u>computer</u> <u>model</u> could. Funke and his colleagues were skeptical, but they thought it might be worth giving it a try.

"This is basically where we left it: We have the data, I guess we could try," Funke says. "We were not particularly optimistic."





Visualization of an example of neurotransmitter prediction in a test dataset. Credit: Jan Funke / HHMI Janelia Research Campus

Back at Janelia, Funke decided to give the project to Michelle Du, a high school student who was starting a summer internship in his lab. The project would allow Du to learn how to train a <u>neural network</u> to recognize images—a useful skill for a budding computer scientist even if the project did not yield results.

A few days into her internship, Du showed up in Funke's office, having trained the model on published data and evaluated its performance on test data. Though Funke had little hope it would work, the model was more than 90% accurate in predicting some neurotransmitters.

"I couldn't believe it," Funke says. "The numbers were way too good."

After checking the data and the model, Funke, Du, and their colleagues were convinced that the numbers weren't a mistake: The model could predict neurotransmitters. But the team was still cautious, and they didn't have a good grasp on how the network was making the predictions.

"I should have been very happy, but instead I was worried because we didn't understand what was going on," Funke says.

After ruling out possible confounders that could be skewing their results, the team developed a way to understand what the network was seeing that allowed it to make predictions.





Example of the method researchers used to test their neurotransmitter prediction tool. The researchers first asked their network to predict a neurotransmitter from a known image, which it did successfully (Real neurotransmitters shown in blue). Then, they asked a separate network to take that known image and change it slightly to create an image corresponding to the release of a different neurotransmitter – essentially identifying the minimum traits that need to be changed for the model to predict one neurotransmitter over another (Fake neurotransmitters seen in orange). Lastly, the team developed a separate method to identify these distinct traits (highlighted regions). Credit: Jan Funke / HHMI Janelia Research Campus

First, they used their network to predict a neurotransmitter from a known image, which it did successfully. Then, they asked a separate network to take that known image and change it slightly to create an image corresponding to the release of a different neurotransmitter—essentially identifying the minimum traits that need to



be changed for the model to predict one <u>neurotransmitter</u> over another. Lastly, the team developed a separate method to identify these distinct traits.

From this information, the team understood the different features their original network used to make predictions. This gave them the confidence to release their method to the wider neuroscience community in 2020.

"What most of the neuroscience community has seen from this work is the predictions," Funke says. "They were happy to use it, but for us, it was very important to make sure it was actually working."

Five years later, Du is now an undergraduate at Duke University, and the method she helped develop has been used to predict neurotransmitters in connectomes of the fruit fly hemibrain, ventral nerve cord, and optic lobe created by Janelia researchers and collaborators, as well as the adult fly brain connectome created by FlyWire.

The information helps scientists understand how neurons in a circuit affect each other so they can then form hypotheses about the function of brain circuits that can be tested in the lab.

"It really all started with a bit of a crazy idea, something that no one was really too optimistic about. And what do you do with a crazy idea? You give it to a high school student as a <u>learning experience</u>," Funke says. "We were very fortunate that Michelle was extremely talented."

The paper is **<u>published</u>** in the journal *Cell*.

More information: Nils Eckstein et al, Neurotransmitter classification from electron microscopy images at synaptic sites in Drosophila melanogaster, *Cell* (2024). DOI: 10.1016/j.cell.2024.03.016



Provided by Howard Hughes Medical Institute

Citation: High school student helps transform 'crazy idea' into a model that can predict neurotransmitters (2024, May 9) retrieved 6 August 2024 from <u>https://medicalxpress.com/news/2024-05-high-school-student-crazy-idea.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.