

# Team uses surface-enhanced Raman scattering to characterize infections in biological fluids

May 29 2024

---



Infections of intimate diseases can have various causes. Researchers from the IPC PAS have tackled this issue using an innovative approach that makes use of the interaction between light and matter to identify the etiology of female diseases. Photo taken at the welcoming premises of Café Rose Café & Confectionery in Warsaw. Image credit: Grzegorz Krzyzewski. Credit: Source IPC PAS, Grzegorz Krzyzewski

Every year, medical diagnostics get better and better thanks to the tremendous development of new methods that enable the precise detection of the many different molecules present in biological fluids during an infection. Nevertheless, the rapid and even real-time analysis of bacterial, fungal or viral infections is still far from ideal, which is why many efforts are being made around the world to improve methods that could enable the fastest and least invasive diagnosis of infections of various etiologies.

Recently, scientists at the Institute of Physical Chemistry of the Polish Academy of Sciences, led by Prof. Agnieszka Kamińska, presented an effective way to distinguish the type of infection in [biological fluids](#) using the diagnostic technique of surface-enhanced Raman scattering. They have successfully unraveled the complexities in the area of rapid diagnosis of fertility and disease in women's biological fluids.

The team's paper is [published](#) in the journal *Sensors and Actuators B: Chemical*.

Prior to this study, fertility awareness-based methods (FABM) remained one method of increasing the chances of conception by differentiating cervical mucus monitoring (CMM). Unfortunately, this method only shows more accurate results for fertile couples and not for infertile couples.

As with fertility, microscopic analysis of gram-stained vaginal discharge to visualize the specific causative agent is the most commonly used diagnostic method. Although attempts have been made to address cervical cancer and [human papilloma virus](#) (HPV) infection using Raman and related methods, the problems of infertility and vaginal infection using such a technique remain a mystery.

The results demonstrated by the researchers from the IPC PAS were based on tracking the spectral response of fluids from the female reproductive tract, including three types of fluids, i.e., vaginal fluid, menstrual fluid, and menstrual spotting using surface-enhanced Raman spectroscopy (SERS) and a chemometric method, which together provide insight from the [molecular level](#) into the composition of vaginal secretions.

As the composition of vaginal fluids is complex—many compounds such as [organic acids](#), pyridine, vaginal peptidase, lipids, phospholipids, [amino acids](#), fatty acids, carbohydrates, glycoproteins, proteins, and immunoglobulins can be found—it can also be enriched with other specific molecules including hormones depending on the phase of the menstrual cycle, making it difficult to accurately diagnose infection at an early stage or recognize the etiology.

Nevertheless, the proposed methods allow diagnosis in the fertile and infertile phases with high precision without affecting signals of hormonal imbalance in the body, all thanks to measurements of the interaction of matter with light, where the unique bands for particular vibrations of molecules were measured. Diagnostics with the proposed tools were carried out for two independent menstrual cycles in which the patients were both healthy and struggling with infections such as vulvovaginal candidiasis, [bacterial vaginosis](#), gonorrhea, and had co-infection.

Because the researchers optimized the analytical conditions for precise measurement of spectra and implemented algorithms to adapt SERS to different biological aspects of detection, their [diagnostic tool](#) does not require pre-treatment of samples, labeling or swabbing, making it much simpler and less expensive compared to classical diagnostic tests.

In the words of the lead author of the team, "We investigated the

spectral manifestation of hormonal changes and vaginal inflammation and made SERS time-dependent analysis of clinical material taken from biological fluids during full menstrual cycles as well as those struggling with different types of infections including bacterial, fungal, coinfections and gonorrhoea. The spectral analysis was supported with the Partial Least Square Regression (PLSR) method to gain deeper insight into the spectra and find differences not visible to the naked eye."

In addition to the economic and operational advantages, SERS diagnostics can be performed throughout the menstrual cycle, making it a step forward in the diagnosis of many other diseases that may be influenced by many different hormones in biological fluids.

The study showed that the intensity of the relevant hormones [e.g., luteinizing hormone (LH), folliculotropic hormone (FSH), progesterone and oestradiol], which is closely correlated with follicle formation and rupture when fertilization does not occur, can be characterized using the SERS technique. Therefore, the information recorded on the spectra and caused by the day of the menstrual cycle does not affect the reading of the condition due to the specific associations of the spectral data and the PLSR analysis used.

"Our studies show that vaginal infections lead to a more significant spectral effect than the menstrual cycle. Infection can be recognized by time-dependent SERS analysis through the presence of characteristic features that provide spectral insight into the molecular pattern of fluids even in very complex biological fluids," remarks first author Sylwia M. Berus.

The results presented here provide an important basis for research that will include detailed SERS analysis of aetiological agents in relation to the diagnosis of vaginal infections. Furthermore, the proposed technique is a powerful and promising tool for rapid and non-invasive analysis even

in forensic investigations.

**More information:** Sylwia M. Berus et al, Surface-enhanced Raman spectroscopy analysis of menstrual cycle: From biochemical changes to diagnostics of vaginal infections, *Sensors and Actuators B: Chemical* (2024). [DOI: 10.1016/j.snb.2024.135571](https://doi.org/10.1016/j.snb.2024.135571)

Provided by Polish Academy of Sciences

Citation: Team uses surface-enhanced Raman scattering to characterize infections in biological fluids (2024, May 29) retrieved 23 June 2024 from <https://medicalxpress.com/news/2024-05-team-surface-raman-characterize-infections.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.