

Eating more ultra-processed foods tied to cognitive decline, stroke

May 22 2024



Credit: CC0 Public Domain

People who eat more ultra-processed foods like soft drinks, chips and



cookies may have a higher risk of having memory and thinking problems and having a stroke than those who eat fewer processed foods, according to a new study published in the May 22 online issue of *Neurology*. The study does not prove that eating ultra-processed foods causes memory and thinking problems and stroke. It only shows an association.

Ultra-processed foods are high in added sugar, fat and salt, and low in protein and fiber. They include <u>soft drinks</u>, salty and sugary snacks, ice cream, hamburgers, canned baked beans, ketchup, mayonnaise, packaged breads and flavored cereals. Unprocessed or minimally processed foods include meats such as simple cuts of beef, pork and chicken, and vegetables and fruits.

"While a <u>healthy diet</u> is important in maintaining <u>brain health</u> among <u>older adults</u>, the most important dietary choices for your brain remain unclear," said study author W. Taylor Kimberly, MD, Ph.D., of Massachusetts General Hospital in Boston.

"We found that increased consumption of ultra-processed foods was associated with a higher risk of both stroke and <u>cognitive impairment</u>, and the association between ultra-processed foods and stroke was greater among Black participants."

For the study, researchers looked at 30,239 people age 45 or older who self-identified as Black or white. They were followed an average of eleven years.

Participants filled out questionnaires about what they ate and drank. Researchers determined how much ultra-processed food people ate by calculating the grams per day and comparing it to the grams per day of other foods to create a percentage of their daily diet. That percentage was calculated into four groups, ranging from the least processed foods to the most processed foods.



Of the total participants, researchers looked at 14,175 participants for cognitive decline and 20,243 participants for stroke. Both groups had no history of cognitive impairment or stroke.

By the end of the study, 768 people were diagnosed with cognitive impairment and 1,108 people had a stroke.

For those in the cognitive group, people who developed memory and thinking problems consumed 25.8% of their diet in ultra-processed foods, compared to 24.6% for those who did not develop cognitive problems.

After adjusting for age, sex, <u>high blood pressure</u> and other factors that could affect risk of dementia, researchers found that a 10% increase in the amount of ultra-processed foods eaten was associated with a 16% higher risk of cognitive impairment.

They also found that eating more unprocessed or minimally processed foods was linked with a 12% lower risk of cognitive impairment.

For those in the stroke group, people who had a stroke during the study consumed 25.4% of their diet in ultra-processed foods, compared to 25.1% for those who did not have a stroke.

After adjustments, researchers found greater intake of ultra-processed foods was linked to an 8% increase in risk of stroke, while greater intake of unprocessed or minimally processed foods was linked to a 9% decreased risk of stroke.

The effect of ultra-processed food consumption on stroke risk was greater among Black participants, with a 15% relative increase in risk of <u>stroke</u>.



"Our findings show that the degree of food processing plays an important role in overall brain health," Kimberly said. "More research is needed to confirm these results and to better understand which food or processing components contribute most to these effects."

A limitation of the study was that only participants who self-identified as Black or white were included in the study, so results may not be generalizable to people from other populations.

More information: Varun M. Bhave et al, Associations Between Ultra-Processed Food Consumption and Adverse Brain Health Outcomes, *Neurology* (2024). DOI: 10.1212/WNL.0000000000209432 , dx.doi.org/10.1212/WNL.000000000209432

Provided by American Academy of Neurology

Citation: Eating more ultra-processed foods tied to cognitive decline, stroke (2024, May 22) retrieved 21 June 2024 from <u>https://medicalxpress.com/news/2024-05-ultra-foods-cognitive-decline.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.