


Epstein-Barr virus and brain cross-reactivity: Possible mechanism for multiple sclerosis detected

June 6 2024



This electron microscopic image of two Epstein Barr Virus virions (viral particles) shows round capsids—protein-encased genetic material—loosely surrounded by the membrane envelope. Credit: *PloS Biology* (2005), DOI: [10.1371/journal.pbio.0030430.g001](https://doi.org/10.1371/journal.pbio.0030430.g001)

The role that Epstein-Barr virus (EBV) plays in the development of multiple sclerosis (MS) may be caused by a higher level of cross-reactivity, where the body's immune system binds to the wrong target, than previously thought.

In a new study published in *PLOS Pathogens*, researchers looked at [blood samples](#) from people with MS, as well as healthy people infected with EBV and people recovering from [glandular fever](#) caused by recent EBV infection.

The study investigated how the immune system deals with EBV infection as part of worldwide efforts to understand how this common virus can lead to the development of [multiple sclerosis](#), following 20 years of mounting evidence showing a link between the two.

While previous studies have shown that antibody responses to one EBV protein—EBNA1—also recognize a small number of proteins of the central nervous system, this study found that T cells, another important part of the immune system, that target [viral proteins](#) can also recognize brain proteins.

A second important finding was that these cross-reactive T cells can be found in people with MS but also in those without the disease. This suggests that differences in how these immune cells function may explain why some people get MS after EBV infection.

Dr. Graham Taylor, associate professor at the University of Birmingham and one of the corresponding authors of the study said, "The discovery of the link between Epstein-Barr virus and multiple sclerosis has huge implications for our understanding of autoimmune disease, but we are still beginning to reveal the mechanisms that are involved.

"Our latest study shows that following Epstein-Barr virus infection there

is a great deal more immune system misdirection, or cross-reactivity, than previously thought."

"Our study has two main implications. First, the findings give greater weight to the idea that the link between EBV and multiple sclerosis is not due to uncontrolled virus infection in the body. Second, we have shown that the human immune system cross-recognizes a much broader array of EBV and central nervous system proteins than previously thought, and that different patterns of cross-reactivity exist.

"Knowing this will help identify which proteins are important in MS and may provide targets for future personalized therapies."

T cells are involved

During testing of blood, the team also found evidence that cross-reactive T cells that target Epstein-Barr virus and central nervous system proteins are also present in many healthy individuals.

Dr. Olivia Thomas from the Karolinska Institute in Sweden and joint corresponding author of the paper said, "Our detection of cross-reactive T cells in healthy individuals suggests that it may be the ability of these cells to access the brain that is important in MS.

"Although our work shows the relationship between EBV and MS is now more complex than ever, it is important to know how far this cross-reactivity extends to fully understand the link between them."

More information: 3 Heightened Epstein-Barr virus immunity and potential cross-reactivities in multiple sclerosis, *PLoS Pathogens* (2024). [DOI: 10.1371/journal.ppat.1012177](https://doi.org/10.1371/journal.ppat.1012177)

Provided by University of Birmingham

Citation: Epstein-Barr virus and brain cross-reactivity: Possible mechanism for multiple sclerosis detected (2024, June 6) retrieved 23 June 2024 from

<https://medicalxpress.com/news/2024-06-epstein-barr-virus-brain-reactivity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.