

## Tiny plastic particles may increase risk from major diseases

June 21 2024



Human exposure rates are determined by the environmental fate and transport of MnPs that control the connectivity between spatially and temporally dynamic environmental pollution sources and human exposures (bottom). Together, these dynamic exposure controls determine the combined uptake of MnPs and their additives that may influence the risk and/or severity of NCDs. The text boxes provide some example exposure ranges associated with different MnP sources. Credit: *Cell Reports Medicine* (2024). DOI: 10.1016/j.xcrm.2024.101581



People may be at increased risk from cancer, diabetes, cardiovascular disease, and chronic lung disease—as rising global levels of micro- and nanoplastics (MnPs) are absorbed into the human body, a new study reveals.

Non-communicable diseases (NCD) such as these are linked to inflammatory conditions in the body's organs, with the <u>tiny particles</u> increasing the uptake of MnPs and their leachates within digestive and respiratory systems—potentially boosting the risk and severity of NCDs in the future.

And MnP concentrations in infant fecal matter are significantly higher than in adults—possibly because plastic is commonly used in infant food preparation, presentation, and storage. Young children's behavior such as putting objects in their mouth may also account for this.

Publishing their <u>findings</u> in *Cell Reports Medicine*, an international group of researchers is now calling for a global integrated One Health approach to human health and environmental research that will reveal the environmental mechanisms that lie behind the rise in human MnP exposure and the particles linked with NCDs.

Lead author Professor Stefan Krause, from the University of Birmingham, said, "Plastic pollution has increased globally—making it critical that we understand the overall health risks associated with MnP exposure.

"We must tackle this pollution at its source to reduce further emissions, as the global dispersal of MnPs that has already happened will remain a cause of concern for centuries to come. For this, we need a systematic investigation into the environmental drivers of human MnP exposure and their impacts on the prevalence and severity of the main NCD groups of cancer, diabetes, <u>cardiovascular disease</u>, and <u>chronic lung disease</u>."



The researchers highlight that the relationship between MnPs and NCDs resembles those of other particles, including natural sources such as pollen or human-made pollutants like diesel exhaust, and MnPs, and engineered nanomaterials, all acting in a similar biological manner.

The body treats these as foreign entities triggering the same protective mechanisms—presenting a risk of bodily defenses becoming overwhelmed and boosting the frequency and severity of NCDs.



(A) Hypothesized uptake mechanisms of MnPs through human biological barriers, including via (B) the olfactory bulb, (C) the lung-air barrier, and (D) the gastrointestinal tract, indicating also the systems and organs directly affected by MnPs and the associated MnP impacts and suspected adverse health out comes including NCDs. The suspected particle-size fractionation caused by differences in the uptake mechanisms (A–D) is highlighted in (E), with larger particles being



ingested (up to 130 mm) rather than inhaled (less than 2.5 mm) and only the smallest (nanoscale) particles being able to penetrate the blood-brain barrier. MnP internalized by routes (C) and (D) reach the wider circulatory system and from there can reach all organs. Credit: *Cell Reports Medicine* (2024). DOI: 10.1016/j.xcrm.2024.101581

The incidence of NCDs is increasing across the world with the four main types collectively responsible for 71% of all global deaths annually and creating a predicted economic impact of more than \$30 trillion over the next two decades.

Co-author Semira Manaseki-Holland, from the University of Birmingham, said, "We must better understand how MnPs and NCDs interact, if we are to progress global prevention and treatment efforts toward the UN Sustainable Development Goal on reducing premature mortality from NCDs and other conditions where inflammation are concerned through by 2030.

"This need is critical in low- and low-middle-income countries (LMICs) where NCD prevalence is rising, and <u>plastic pollution</u> levels and exposures are high. Whether we encounter them indoors or outdoors, MnPs are likely adding to global health risks."

Global pollution trends show that micro- (smaller than 5 mm) and nanoplastic (smaller than 1  $\mu$ m) particles are now found everywhere. MnPs have been detected in lungs, blood, <u>breast milk</u>, placenta, and stool samples confirming that the particles enter the human body from the environment.

Humans are exposed to MnPs in outdoor and indoor environments through food stuffs, drinks consumption, air and many other sources



including cosmetics and human care products.

MnPs have been found in fish, salt, beer, and plastic bottled drinks or air, where they are released from synthetic clothing materials, plastic fabric bedding during sleep, plastic carpet or furniture. Other sources can include fertilizer, soil, irrigation, and uptake into food crops or produce.

Human exposure to MnPs varies significantly depending on location and exposure mechanism, with evidence of MnP pollution hotspots in indoor air containing up to 50 times the number of particles encountered outdoors.

Co-author Professor Iseult Lynch, from the University of Birmingham, added, "We must understand the human health risks associated with MnPs and to do this, we will need to understand the environmental controls of individual exposures. This will require environmental and medical scientists to work very closely together."

**More information:** Stefan Krause et al, The potential of micro- and nanoplastics to exacerbate the health impacts and global burden of non-communicable diseases, *Cell Reports Medicine* (2024). DOI: 10.1016/j.xcrm.2024.101581

## Provided by University of Birmingham

Citation: Tiny plastic particles may increase risk from major diseases (2024, June 21) retrieved 29 June 2024 from https://medicalxpress.com/news/2024-06-tiny-plastic-particles-major-diseases.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.