

## Vascular neurologist explains how poor sleep can be linked to stroke

June 12 2024, by DeeDee Stiepan, Mayo Clinic News Network



Credit: Unsplash/CC0 Public Domain

Sleep problems can increase someone's risk of stroke. Sleep problems can include too little sleep (less than five hours), too much sleep (more than nine hours), poor quality, difficulty getting to sleep or staying



asleep, prolonged napping, and snoring and breathing cessation.

Dr. Stephen English, a Mayo Clinic vascular neurologist, explains why poor sleep can be linked to stroke.

Sleep is something people spend about a third of their lives doing and for good reason.

"It's so restorative for brain health," explains Dr. English. "Adequate sleep helps to ensure that our <u>blood vessels</u> and our <u>brain cells</u> are healthy and viable for years to come."

But tossing and turning at night can have consequences, including increasing someone's risk of stroke.

"When people have sleep-related disorders, such as <u>sleep apnea</u>, they're getting less sleep or poor-quality sleep. And that leads to reduced oxygen and blood flow to the brain. And that can reduce or make changes over time to the brain that leads to increased risk of stroke or <u>cognitive</u> <u>impairment</u> from vascular disorders to the brain," says Dr. English.

He says it's important to recognize that sleep hygiene, along with diet and exercise, is a modifiable risk, and it's never too late to make changes to reduce your risk.

"The better we are at taking care of the foundational things for our health go a long way to making sure our <u>blood pressure</u>, diabetes, high cholesterol—those are the risk factors. If we can modify those, we can really reduce our risk long term," says Dr. English.

## **Know the signs**

Dr. English says it's important to know the signs that someone may be



having a stroke and needs emergency evaluation. Use the acronym FAST to help remember warning signs.

- Face. Does the face droop on one side when the person tries to smile?
- Arms. Is one arm lower when the person tries to raise both arms?
- Speech. Can the person repeat a simple sentence? Is speech slurred or hard to understand?
- Time. During a stroke, every minute counts. If you see any of these signs, call 911 or your local emergency.

Other signs and symptoms of a stroke, which come on suddenly, include:

- Weakness or numbness on one side of the body, including the face, arm or leg.
- Dimness, blurring or loss of vision, particularly in one eye. Or sudden double vision.
- Sudden, severe headache with no clear cause.
- Unexplained dizziness, unsteadiness or a sudden fall. Especially if dizziness is accompanied by any of the other signs or symptoms.

2024 Mayo Clinic News Network. Distributed by Tribune Content Agency, LLC.

Citation: Vascular neurologist explains how poor sleep can be linked to stroke (2024, June 12) retrieved 26 June 2024 from <a href="https://medicalxpress.com/news/2024-06-vascular-neurologist-poor-linked.html">https://medicalxpress.com/news/2024-06-vascular-neurologist-poor-linked.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.