

## Wearable sweat monitor uses machine learning to protect workers from dehydration

June 24 2024



Connection Hydration is worn on the bicep and contains microchannels and a sensing module that vibrates once they fill with sweat to alert the wearer to rehydrate. Credit: Epicore Biosystems

A device for monitoring sweat and hydration based on a rigorous study



from the University of Massachusetts Amherst is commercially available for the first time and ready to help protect "industrial athletes" from dehydration and its role in workplace accidents.

Researchers at UMass Amherst partnered with Epicore Biosystems, a digital health company based in Cambridge, Massachusetts, to validate Connected Hydration, a new wearable sweat and hydration monitor by Epicore.

Connected Hydration is designed for "industrial athletes," or people in occupations that require a lot of intense, physical activity, often in hot, <u>humid conditions</u> while wearing personal protective equipment. These environments put workers at risk for dehydration and work accidents.

AJ Aranyosi, chief digital officer and co-founder of Epicore Biosystems, explains that 2% fluid loss by body weight results in cognitive decline.

"When you start to look back through the literature, the root cause of some of these accidents that do occur in industry is heat exhaustion and heat stroke," he says. "Right now, a lot of the national worker safety guidelines put out generic recommendations based on weather conditions and based on an average person, [but] there's no such thing as an average person. The amount of sweat people will produce, the composition of the sweat—it varies from person to person."

That's where Connected Hydration comes in. Connected Hydration empowers workers to proactively combat the detrimental effects of dehydration and heat exposure through behavioral insights and better understanding of their personal sweat and electrolyte losses. The device enables users to monitor their hydration levels based on the volume and composition of their sweat. It is worn on the bicep and contains microchannels and a sensing module that vibrates once the channels fill with sweat to alert the wearer to rehydrate.



"Thirst is a very subjective thing," says Aranyosi. "We know from decades of studies on athletes that by the time you feel thirsty you're already somewhat dehydrated. The other thing we know is that even when people respond to thirst, they tend not to drink enough to fully replenish what they've lost. Just responding to thirst doesn't keep people safely hydrated."

When wirelessly linked to a cell phone, the platform provides greater insight into sweat's electrolyte concentrations over time and allows users to log their <u>water intake</u>. It also connects to the cloud to let employers see aggregated employee data to determine if their workforce is safely hydrated or if intervention is needed.

In order to make Connected Hydration ready for commercial launch, Epicore turned to the core facilities at the UMass Amherst Institute for Applied Life Sciences (IALS) to obtain the data necessary to refine and validate their product.

"The gold standard for assessing total body water loss is measuring the difference in a person's dry weight before and after an activity," says Mike Busa, director of the Center for Human Health Performance, located in IALS. He explains the level of rigor they used to collect their data to create a truly closed system. This included urine analysis to test for hydration status before the study began, pre-weighed clothes, dry weighing people in clothes of known weight before and after exercise and tracking water consumption and water loss through urination during the test itself.

"We can closely control the temperature in our space and monitor participants with different devices," says Corinna Serviente, operations manager and senior physiologist at the Center for Human Health Performance. "We put 44 participants in personal protective equipment, like you would see in the field for these industrial workers. We increased



the temperature in our room calorimeter to 86° F and then had participants exercise while wearing several devices that measure <u>core</u> <u>body temperature</u>, heart rate, water loss, and activity level so that we could provide the data necessary for Epicore to develop and test their water loss algorithms in a way that could not be done in field tests."

"Somebody might sweat enough to lose maybe half a pound or a quarter pound of sweat," Aranyosi adds. "When you're trying to weigh somebody who weighs 200 pounds and you're looking for a difference of a quarter pound, you really have to take every possible source of weight change into account."

In addition to using dry weight to measure sweat loss, the researchers also captured sweat from the participants using a non-electric version of Epicore's device called the Discovery Patch. The team also analyzed the electrolyte composition of the sweat using mass spectrometry.

The data delivered to Epicore Biosystems was then used to create machine-learning algorithms to refine the Connected Hydration technology.

"We want to know: How much sweat is inside the device and how does that map to how much sweat has the person lost over their whole body?" says Aranyosi. "We started this study with our initial best guesses of how to do that translation. As a result of this study, we were able to go back and derive new formulas to be able to map the voltages [from the device], to sweat loss, salt concentration, and ultimately to be able to provide more accurate measurements and feedback."

On the UMass side, this collaboration provided a valuable opportunity for students. "There's been a lot of really great student effort that has come out of this project and Epicore has been amazing at helping to support those students and allowing them to explore some of the data



and take some ownership of it," says Serviente.

Remi Hirsh is one of those students. A recent graduate from the Department of Biology in the College of Natural Sciences, she wrote her honors thesis using some of the data from this project, and presented it at the <u>American College of Sports Medicine 2024 Annual Meeting</u> in Boston.

Her study found that in young healthy adults wearing personal protective equipment, relative humidity of the environment did not impact the body's metabolic activity, temperature, <u>heart rate</u> or water loss during intermittent moderate-intensity exercise. However, she did show differences in skin temperature and <u>sweat</u> composition between the different humidity conditions, indicating areas for future investigation.

"This result is important because it allowed us to combine data from different testing sessions for use in algorithmic development and testing," says Busa. "It also suggests that the body's response to exercise in different environmental relative humidities may differ when wearing personal protective equipment, as this equipment is non-breathable and appears to create its own micro-environment. This will need to be tested in the future."

Provided by University of Massachusetts Amherst

Citation: Wearable sweat monitor uses machine learning to protect workers from dehydration (2024, June 24) retrieved 30 June 2024 from <u>https://medicalxpress.com/news/2024-06-wearable-machine-workers-dehydration.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.